

Material Name: ArmaKleen M-HP-2 Solution SDS ID: 820249

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

ArmaKleen M-HP-2 Solution

Product Code

Not available.

Recommended Use

Aqueous cleaner for cleaning a variety of materials in high pressure spray machines. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

Restrictions on Use

For professional use only.

MANUFACTURER SUPPLIER (in the U.S.A.) SUPPLIER (in Canada)
Church & Dwight Safety-Kleen Systems, Inc. Safety-Kleen Canada Inc.

The ArmaKleen™ Company 42 Longwater Drive 25 Regan Road

469 North Harrison Street Norwell, MA 02061-9169 Brampton, Ontario, Canada L17A 1B2

Princeton, NJ 08543 Phone: 1-800-669-5740 Phone: 1-800-669-5740

Phone: (800) 332-5424 <u>www.safety-kleen.com</u>

www.churchdwight.com

Emergency Telephone Number

Medical: 1-888-234-1828 Chemical: 1-800-424-9300 (CHEMTREC)

Issue Date

May 21, 2020

Supersedes Issue Date

April 20, 2017

Original Issue Date

July 5, 2016

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with Schedule 1 of Canada's Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200 in the United States

Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Eye Irritation - Category 2A

Skin Sensitization - Category 1A

GHS Label Elements

Symbol(s)



Signal Word Warning

Material Name: ArmaKleen M-HP-2 Solution SDS ID: 820249

Hazard Statement(s)

Causes skin irritation and serious eye irritation.

May cause an allergic skin reaction.

Precautionary Statement(s)

Prevention

Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Response

IF IN EYES: If irritation or redness from exposure to vapor develops, move away from exposure into fresh air and flush eyes with water for 5 minutes. Upon direct contact with liquid, immediately flush eyes with water, holding eyelids apart, for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CETNER or doctor. IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before use. For thermal burns caused by contact with hot product remove affected clothing and shoes. Wash skin thoroughly with cool water. Apply cool-packs or ice.

Storage

None needed according to classification criteria.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	>97
584-08-7	Potassium carbonate	0.25-1
1300-72-7	Sodium xylene sulfonate	0.25-1
3302-10-1	Hexanoic acid, 3,5,5-trimethyl-	0.05-0.5
68987-81-5	Alcohols, C6-10, ethoxylated propoxylated	0.05-0.5

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention, if needed.

Skin

IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before use. For thermal burns caused by contact with hot product remove affected clothing and shoes. Wash skin thoroughly with cool water. Apply cool-packs or ice.

Eyes

IF IN EYES: If irritation or redness from exposure to vapor develops, move away from exposure into fresh air and flush eyes with water for 5 minutes. Upon direct contact with liquid, immediately flush eyes with water, holding eyelids apart, for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Page 2 of 10 Rev. 05/20

Material Name: ArmaKleen M-HP-2 Solution SDS ID: 820249

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms/Effects

Acute

Causes skin and eye irritation. May cause an allergic skin reaction.

Delayed

May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use extinguishing agents appropriate for surrounding fire.

Unsuitable Extinguishing Media

Do not use high-pressure water streams.

Special Hazards Arising from the Chemical

Negligible fire hazard during intended use. Containers may rupture or explode if exposed to heat.

Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Burning may produce oxides of carbon, oxides of sulfur, oxides of nitrogen.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Keep containers cool with water spray. Heated containers may rupture. "Empty" containers may retain residue and can be dangerous. Product is not sensitive to mechanical impact or static discharge.

Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, spark proof tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal. There may be specific federal regulatory reporting requirements associated with spills, leaks, or releases of this product. Also see SECTION 15:

REGULATORY INFORMATION.

Environmental Precautions

Avoid release to the environment.

Page 3 of 10 Rev. 05/20

Material Name: ArmaKleen M-HP-2 Solution SDS ID: 820249

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Do not store below 40°F. Keep away from sparks or flame. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Further information on storage conditions: Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from flame, sparks, static electricity, or other sources of ignition. Empty product containers may retain product residue and can be dangerous.

Incompatible Materials

Acids, oxidizing agents, reducing agents.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Canada, ACGIH, OSHA, and NIOSH have not developed exposure limits for any of this product's components.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide general ventilation. Where adequate ventilation is unavailable, use process enclosures, local exhaust ventilation or other engineering controls.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

Skin Protection/Glove Recommendations

Where skin contact is likely, wear gloves impervious to product; use of natural rubber (latex) or equivalent gloves is not recommended. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant face shield, boots, apron, whole body suits or other protective clothing. When product is heated and skin contact is likely, wear heat-resistant gloves, boots, and other protective clothing.

Respiratory Protection

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, Gloves, and Lab coat or apron.

Page 4 of 10 Rev. 05/20

Material Name: ArmaKleen M-HP-2 Solution SDS ID: 820249

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid	Physical State	Liquid
Odor	Not available	Color	Not available
Odor Threshold	Not available	рН	11.2 - 11.4
Melting Point	Not available	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.005 - 1.012
Water Solubility	Not available	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Physical Form	Liquid	Molecular Weight	Not available
Volatile Organic Compounds (As regulated)	Product Vapor Pressure This product does not co 'Photochemically Reacti	al; 0.0 g/L as per 40 CFR 51.100(s). @ 20°C = 17.5 mmHg ontain any ingredient that meets the definitive Solvent' as found in California's South strict Rule 102 – Definition of Terms. Co	n Coast Air

Other Information

No additional information is available.

Section 10 - STABILITY AND REACTIVITY

or local air district regulations for location specific information.

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid sparks, flame, and direct sunlight.

Incompatible Materials

Acids, oxidizing agents, reducing agents

Hazardous decomposition products

None under normal temperatures and pressures. See also SECTION 5: Hazardous Combustion Products.

Section 11 - TOXICOLOGICAL INFORMATION

Page 5 of 10 Rev. 05/20

Material Name: ArmaKleen M-HP-2 Solution SDS ID: 820249

Information on Likely Routes of Exposure

Inhalation

Irritation

Skin Contact

Irritation

Eve Contact

Irritation

Ingestion

Nausea, vomiting, stomach pain

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Water (7732-18-5)

Oral LD50 Rat >90 mL/kg

Potassium carbonate (584-08-7)

Oral LD50 Rat 1870 mg/kg

Sodium xylene sulfonate (1300-72-7)

Oral LD50 Rat 1000 mg/kg

Hexanoic acid, 3,5,5-trimethyl- (3302-10-1)

Oral LD50 Rat 1100 mg/kg; Dermal LD50 Rat >2000 mg/kg (no deaths occurred)

Product Toxicity Data

Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Inhalation - Vapor	> 20 mg/L
Oral	> 2000 mg/kg

Immediate Effects

Causes skin and eye irritation. May cause an allergic skin reaction.

Delayed Effects

May cause an allergic skin reaction.

Irritation/Corrosivity Data

Causes skin and eye irritation.

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

May cause an allergic skin reaction.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

No information available for the product.

Tumorigenic Data

No information available for the product.

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

Page 6 of 10 Rev. 05/20

Material Name: ArmaKleen M-HP-2 Solution

Not expected to be an aspiration hazard.

Medical Conditions Aggravated by Exposure

No information available for the product.

Section 12 - ECOLOGICAL INFORMATION

SDS ID: 820249

Component Analysis - Aquatic Toxicity

Potassium carbonate	584-08-7
Invertebrate:	LC50 48 h Ceriodaphnia dubia 630 mg/L EPA

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Other Toxicity

No additional information is available.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact ArmaKleen regarding proper recycling or disposal.

Section 14 - TRANSPORT INFORMATION

US DOT Information: Not regulated for transport. IATA Information: Not regulated for transport. IMDG Information: Not regulated for transport. TDG Information: Not regulated for transport.

Further information: Not regulated as dangerous goods.

Section 15 - REGULATORY INFORMATION

Canada Regulations

CEPA - Priority Substances List

None of this product's components are on the list.

Ozone Depleting Substances

None of this product's components are on the list.

Council of Ministers of the Environment - Soil Quality Guidelines

None of this product's components are on the list.

Council of Ministers of the Environment - Water Quality Guidelines

None of this product's components are on the list.

U.S. Federal Regulations

Page 7 of 10 Rev. 05/20

Material Name: ArmaKleen M-HP-2 Solution

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SDS ID: 820249

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories: Acute Health: Yes Chronic Health: No Fire: No Pressure: No Reactivity: No

Component Analysis - Inventory Water (7732, 19.5)

Water	Water (7732-18-5)										
US	CA	AU	C	N	El	U	JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Y	es	El	IN	Yes	No		Yes	No
KR -	KR - REACH CCA MX		X	NZ	PH	TH- TECI	TW	VN (Draft)			
No	No Yes			es	Yes	Yes	Yes	Yes	Yes		
Potass	ium ca	rbona	te (584	-08	3-7)					
US	US CA AU CN		N	EU		JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2	
Yes	DSL	Yes	Y	es	El	IN	Yes	Yes		Yes	No
KR -	KR - REACH CCA MX			X	NZ	PH	TH- TECI TW VN (Draft)				
No				Y	es	Yes	Yes	Yes Yes		Yes	
Sodiu	n xylen	e sulfo	ona	te (130	00-72-	7)				
US CA AU CN EU				U	JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2		
Yes	es DSL Yes Yes EIN Y		Yes	Yes		Yes	No				
KR -	KR - REACH CCA MX		X	NZ	PH	TH- TECI	TW	VN (Draft)			
No	No Yes		es	Yes	Yes	Yes	Yes	Yes			
Hexanoic acid, 3,5,5-trimethyl- (3302-10-1)										1	
US	US CA AU CN E		El	U	JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2		
Yes	Yes DSL Yes Yes EII		IN	Yes	Yes		Yes	No			
KR - REACH CCA MX N			NZ	PH	TH- TECI	TW	VN (Draft)				

Page 8 of 10 Rev. 05/20

Material Name: ArmaKleen M-HP-2 Solution SDS ID: 820249

No			N	o	Yes Yes	Yes	Yes	Yes	
Alcoh	ols, C6-	-10, etl	oxyla	ted p	ropoxylated (68987-81-5)			
US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KE	ECI - Annex 1	KR KECI - Annex 2
Yes	NSL	Yes	Yes	No	No	No	Yes		No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	Yes	No	No	Yes	Yes

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 2 Fire: 0 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

Regulatory review and update.

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TH-TECI - Thailand - FDA Existing Chemicals Inventory (TECI);

Page 9 of 10 Rev. 05/20

Material Name: ArmaKleen M-HP-2 Solution SDS ID: 820249

TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, ArmaKleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.

Page 10 of 10 Rev. 05/20