

Material Name: SAFETY-KLEEN PROFESSIONAL SPRAY AND WIPE CLEANER DEGREASER SDS ID: 82993

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

SAFETY-KLEEN PROFESSIONAL SPRAY AND WIPE CLEANER DEGREASER

Product Code

829

Synonyms

Not available

Product Use

Spray and wipe cleaner. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

Restrictions on Use

THIS PRODUCT IS NOT FOR SALE OR USE IN THE STATE OF CALIFORNIA.

MANUFACTURER

Safety-Kleen Systems, Inc. 42 Longwater Drive Norwell, MA 02061-9149 U.S.A.

SUPPLIER

Safety-Kleen Canada, Inc. 25 Regan Road Brampton, Ontario, Canada L7A 1B2

www.safety-kleen.com Phone: 1-800-669-5740 Emergency Phone #: 1-800-468-1760

Issue Date

July 24, 2020 Supersedes Issue Date March 29, 2017 Original Issue Date October 31, 1998

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with Schedule 1 of Canada's Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200 in the United States

Serious Eye Damage/Eye Irritation - Category 2B

Specific target organ toxicity - Single exposure - Category 3

GHS Label Elements Symbol(s)

Signal Word Warning Hazard Statement(s) Causes eye irritation. May cause respiratory irritation.

Material Name: SAFETY-KLEEN PROFESSIONAL SPRAY AND WIPE CLEANER DEGREASER

Precautionary Statement(s)

Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wear eye protection/face protection.

Response

IF INHALED. Remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Do NOT induce vomiting. Call a POISON CENTER or doctor/physician.

Storage

Store in a well-ventilated place. Keep container tightly closed.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

No additional information is available.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| CAS | Component Name | Percent |
|------------|-------------------------------------|---------|
| 7732-18-5 | Water | 90-100 |
| 1569-01-3 | 2-Propanol, 1-propoxy- | 1-3 |
| 34590-94-8 | Dipropylene glycol monomethyl ether | 1-3 |
| 34398-01-1 | Polyoxyethylene monoundecyl ether | <2 |

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If exposed or concerned: Get medical advice/attention.

Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: Do NOT induce vomiting. Immediately get medical attention. If spontaneous vomiting occurs, keep head below hips to avoid breathing the product into the lungs. Never give anything by mouth to an unconscious person.

Most Important Symptoms/Effects

Acute

Causes respiratory tract irritation, eye irritation.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident. Call 1-800-468-1760 for additional information.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

Product may burn, but does not ignite readily. Heated containers may rupture or be thrown into the air. "Empty" containers may retain residue and can be dangerous. Product is not sensitive to mechanical impact or static discharge.

Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Burning may produce carbon monoxide and unidentified organic compounds.

Fire Fighting Measures

Keep storage containers cool with water spray.

Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Sorb with compatible sorbent material and shovel with a clean tool into a sealable container for disposal.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from heat, sparks, or flame. Where flammable mixtures may be present, equipment safe for such locations should be used. Use clean tools. When transferring product, metal containers, including trucks and tank cars, should be grounded and bonded. Avoid breathing vapor or mist. Use in a well ventilated area. Avoid contact with eyes, skin and clothing. Do not smoke when using this product. Wash thoroughly after skin contact, before eating, drinking, chewing gum, using tobacco products or using restrooms. Wear suitable protective gloves and eye/face protection.

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed when not in use and during transport. Store containers in a cool, dry, wellventilated place. Keep containers away from heat, flame, sparks, static electricity, or other sources of ignition. Empty product containers may retain product residue and can be dangerous. Store at 40 - 90°F (4 -32.2°C). Avoid freezing to prevent bursting of the container. See SECTION 14: TRANSPORTATION INFORMATION for Packing Group information.

Incompatible Materials

Avoid oxidizing materials, reducing agents.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

| Dipropylene glycol monomethyl ether | 34590-94-8 |
|---|---|
| Alberta | 100 ppm TWA ; 606 mg/m3 TWA; 150 ppm STEL ; 909 mg/m3 STEL; Substance may be readily absorbed through intact skin |
| British Columbia, Northwest Territories, Nunavut | 100 ppm TWA; Skin notation; 150 ppm STEL |
| Manitoba | 100 ppm TWA; Skin - potential for cutaneous absorption Skin - potential significant contribution to overall exposure by the cutaneous route |
| New Brunswick | 100 ppm TWA ; 606 mg/m3 TWA; 150 ppm STEL ; 909 mg/m3 STEL Skin - potential for cutaneous absorption |
| Nova Scotia | 100 ppm TWA; 150 ppm STEL;Skin - potential significant contribution to overall exposure by the cutaneous route |
| Ontario | 100 ppm TWA; 150 ppm STEL; Danger of cutaneous absorption |
| Prince Edward Island | 100 ppm TWA; 150 ppm STEL |
| Quebec | 100 ppm TWAEV ; 606 mg/m3 TWAEV; 150 ppm STEV ; 909 mg/m3 STEV; Skin designation |
| Saskatchewan | 100 ppm TWA; 150 ppm STEL; Potentially harmful after absorption through skin or mucous membranes |
| ACGIH: | 100 ppm TWA; 150 ppm STEL;Skin - potential significant contribution to overall exposure by the cutaneous route |
| NIOSH: | 100 ppm TWA ; 600 mg/m3 TWA; 150 ppm STEL ; 900 mg/m3 STEL Potential for dermal absorption; 600 ppm IDLH |
| OSHA (US): | 100 ppm TWA ; 600 mg/m3 TWA; prevent or reduce skin absorption |

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

Material Name: SAFETY-KLEEN PROFESSIONAL SPRAY AND WIPE CLEANER DEGREASER

Individual Protection Measures, such as Personal Protective Equipment Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

Respiratory Protection

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

Skin Protection/Glove Recommendations

Wear appropriate chemical resistant gloves. To avoid prolonged or repeated contact with products where spills and splashes are likely, wear appropriate chemical-resistant faceshield, boots, apron, coveralls, long sleeve shirts, or other protective clothing.

Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, Gloves, and Lab coat or apron.

| Appearance | Clear green liquid | Physical State | Liquid | | | | |
|---|------------------------------------|---|-----------------------------|--|--|--|--|
| Odor | Pine odor | Color | Green | | | | |
| Odor Threshold | Not available | рН | 10.7 - 11.3 | | | | |
| Melting Point | Not available | Boiling Point | 100 °C (212 °F) | | | | |
| Boiling Point Range | Not available | Freezing point | Not available | | | | |
| Evaporation Rate | 1 (Butyl acetate = 1) | Flammability (solid, gas) | Not available | | | | |
| Autoignition Temperature | Not available | Flash Point | >93.3 °C (200 °F) | | | | |
| Lower Explosive Limit | Not available | Decomposition temperature | Not available | | | | |
| Upper Explosive Limit | Not available | Vapor Pressure | Not available | | | | |
| Vapor Density (air=1) | Not available | Specific Gravity (water=1) | 1.01 (Water = 1) | | | | |
| Water Solubility | Not available | Partition coefficient: n-octanol/water | Not available | | | | |
| Viscosity | Not available | Kinematic viscosity | Not available | | | | |
| Solubility (Other) | Not available | Density | 8.36 - 8.46 / gal lbs (US) | | | | |
| Volatile Organic Compounds (As Regulated) | U.S EPA 40 CFI Product vapor pr | 3.0 WT%; 0.25 LB/US gal; 30 g/L U.S EPA 40 CFR 51.100(s) Product vapor pressure approx. 17.5 mm Hg @ 20°C Product does not contain photochemically reactive solvent as per 40 CFR 51.100(s). | | | | | |

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Consult your state or local air district regulations for location specific information.

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions

Polymerization is not known to occur under normal temperature and pressures. Not reactive with water.

Conditions to Avoid

Avoid excessive heat and ignition sources. Avoid contact with incompatible materials.

Incompatible Materials

Avoid oxidizing agents and reducing agents.

Hazardous decomposition products

Decomposition and combustion materials may be toxic. Burning may produce carbon monoxide and unidentified organic compounds.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

May cause irritation, nausea, headache, drowsiness, dizziness, loss of coordination, liver effects.

Skin Contact

May cause irritation, headache, drowsiness, dizziness, loss of coordination, weight loss, kidney damage.

Eye Contact

Causes eye irritation.

Ingestion

May cause, headache, drowsiness, dizziness, loss of coordination, liver damage, kidney damage.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Water (7732-18-5)

Oral LD50 Rat >90 mL/kg

2-Propanol, 1-propoxy- (1569-01-3)

Oral LD50 Rat 2490 mg/kg; Dermal LD50 Rabbit 3550 mg/kg

Dipropylene glycol monomethyl ether (34590-94-8)

Oral LD50 Rat 5.35 g/kg; Dermal LD50 Rabbit 9500 mg/kg

Product Toxicity Data

Acute Toxicity Estimate

No data available.

Immediate Effects

Causes respiratory tract irritation, eye irritation.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

Causes respiratory tract irritation, eye irritation.

Material Name: SAFETY-KLEEN PROFESSIONAL SPRAY AND WIPE CLEANER DEGREASER

Respiratory Sensitization

Based on best current information, there is no known human sensitization associated with this product.

Dermal Sensitization

Based on best current information, there is no known human sensitization associated with this product.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

Based on best current information, there is no known mutagenicity associated with this product.

Tumorigenic Data

Based on best current information, there is no known teratogenicity associated with this product.

Reproductive Toxicity

Based on best current information, there is no known reproductive toxicity associated with this product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

No additional information available for the product.

Medical Conditions Aggravated by Exposure

Individuals with pre-existing respiratory tract (nose, throat, and lungs), central nervous system, kidney, eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

Additional Data

No additional information is available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

| 2-Propanol, 1-propoxy- | 1569-01-3 | | | |
|-------------------------------------|---|--|--|--|
| Fish: | LC50 96 h Oncorhynchus mykiss >100 mg/L [static] | | | |
| Dipropylene glycol monomethyl ether | 34590-94-8 | | | |
| Fish: | LC50 96 h Pimephales promelas >10000 mg/L [static] | | | |
| Invertebrate: | LC50 48 h Daphnia magna 1919 mg/L IUCLID | | | |

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Other Toxicity

No additional information is available.

Material Name: SAFETY-KLEEN PROFESSIONAL SPRAY AND WIPE CLEANER DEGREASER

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact Safety-Kleen regarding proper recycling or disposal.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

UN/NA #: Product is exempt under limited quantity exemptions and no classification assigned.

IATA Information:

UN#: No classification assigned.

IMDG Information:

UN#: No classification assigned.

TDG Information:

UN#: Product is exempt under limited quantity exemptions and no classification assigned.

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

Canada Regulations

CEPA - Priority Substances List

None of this product's components are on the list.

Ozone Depleting Substances

None of this product's components are on the list

Council of Ministers of the Environment - Soil Quality Guidelines

None of this product's components are on the list

Council of Ministers of the Environment - Water Quality Guidelines

None of this product's components are on the list

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Serious Eye Damage/Eye Irritation; Specific Target Organ Toxicity

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

| Component | CAS | CA | MA | MN | NJ | PA |
|-----------|-----------|----|----|----|----|-----|
| Water | 7732-18-5 | No | No | No | No | Yes |

| Dipropylene glycol monomethyl ether | 34590-94-8 | Yes | Yes | Yes | Yes | Yes | |
|-------------------------------------|------------|-----|-----|-----|-----|-----|--|
|-------------------------------------|------------|-----|-----|-----|-----|-----|--|

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65) Not listed under California Proposition 65.

Component Analysis - Inventory Water (7732-18-5)

JP -KR KECI - Annex KR KECI - Annex US CA AU CN EU JP - ISHL ENCS 2 1 Yes DSL Yes Yes EIN Yes No Yes No TH-KR - REACH CCA MX NZ PH TW VN (Draft) TECI No Yes Yes Yes Yes Yes Yes

2-Propanol, 1-propoxy- (1569-01-3)

| US | CA | AU | Cl | N | EU | | JP - ENCS JP - ISHL 1 | | KR KECI - Annex 1 | KR KECI - Annex 2 | |
|------|----------------|-----|----------|----|-----|---|--------------------------|-------------|----------------------|----------------------|----|
| Yes | DSL | Yes | Ye | es | EIN | | Yes | Yes | | Yes | No |
| KR - | KR - REACH CCA | | X | MZ | X N | Z | РН | TH- TECI | TW | VN (Draft) | |
| No | No | | | Ye | s Y | s | Yes | Yes | Yes | Yes | |

Dipropylene glycol monomethyl ether (34590-94-8)

| US | CA | AU | Cl | N | EU | | JP - ENCS | JP - ISHL | | KR KECI - Annex 1 | KR KECI - Annex 2 |
|------|----------------|-----|----|----|----|-----|--------------|-------------|-----|----------------------|----------------------|
| Yes | DSL | Yes | Ye | es | EI | N | Yes | Yes | | Yes | No |
| KR - | KR - REACH CCA | | ۱ | M | X | NZ | PH | TH- TECI | TW | VN (Draft) | |
| No | No | | | Ye | es | Yes | Yes | Yes | Yes | Yes | |

Polyoxyethylene monoundecyl ether (34398-01-1)

| US | CA | AU | CI | N | Εl | EU JP - ENCS | | JP - ISHL | | KR KECI - Annex 1 | KR KECI - Annex 2 |
|----------------|-----|-----|----|----|-----|-----------------|-------------|-----------|------------|----------------------|----------------------|
| Yes | DSL | Yes | Y | es | N | 0 | No | No | | Yes | No |
| KR - REACH CCA | | A | M | X | NZ | PH | TH- TECI | TW | VN (Draft) | | |
| No | No | | No |) | Yes | Yes | No | Yes | Yes | | |

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 2 Fire: 1 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

Regulatory review and update.

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TH-TECI - Thailand - FDA Existing Chemicals Inventory (TECI); TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Safety-Kleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.