

SDS ID: 820070

Material Name: ArmaKleen 4 in 1 Cleaner – Cleaning Solution

### **Section 1 - PRODUCT AND COMPANY IDENTIFICATION**

**Material Name** 

ArmaKleen 4 in 1 Cleaner – Cleaning Solution

**Product Code** 

Not available.

**Synonyms** 

Not available.

**Product Use** 

Aqueous, alkaline cleaner that has been diluted with water for cleaning aluminum, magnesium, titanium, ferrous and non-ferrous alloys as well as plastic, glass, and composite materials. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

**Restrictions on Use** 

For professional use only

Details of the supplier of the safety data sheet

MANUFACTURER SUPPLIER (in the U.S.A.) SUPPLIER (in CANADA)
Church & Dwight Safety-Kleen Systems, Inc. Safety-Kleen Canada Inc.

The ArmaKleen™ Company 42 Longwater Drive 25 Regan Road

469 North Harrison Street Norwell, MA 02061-9149 Brampton, Ontario, Canada L7A 1B2

Princeton, NJ 08543 Phone: 1-800-669-5740 Phone: 1-800-669-5740

Phone: (800) 332-5424 www.safety-kleen.com

www.churchdwight.com

**Emergency Telephone Number** 

Medical: 1-888-234-1828 Chemical: 1-800-424-9300 (CHEMTREC)

**Issue Date** 

February 5, 2020

**Supersedes Issue Date** 

March 6, 2017

**Original Issue Date** 

October 22, 2009

### **Section 2 - HAZARDS IDENTIFICATION**

Classification in accordance with Schedule 1 of Canada's Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200 in the United States

None needed according to classification criteria.

**GHS Label Elements** 

Symbol(s)

None needed according to classification criteria.

Signal Word

None needed according to classification criteria

**Hazard Statement(s)** 

None needed according to classification criteria.

**Precautionary Statement(s)** 

Prevention

None needed according to classification criteria.

### Material Name: ArmaKleen 4 in 1 Cleaner - Cleaning Solution

### Response

None needed according to classification criteria.

#### Storage

None needed according to classification criteria. Do not store below 40°F.

#### **Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Other hazards

Repeated exposure may cause skin dryness or cracking. Contact with heated material may cause serious thermal burns.

SDS ID: 820070

### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	93-99
124-07-2	Octanoic Acid	0.25-0.27
68439-46-3	Alcohols, C9-11, ethoxylated	0.19-0.21
68987-81-5	Alcohols, C6-10, ethoxylated and proploxylated	0.14-0.16
61791-26-2	Amines, tallow, alkyl, ethoxylated	0.14-0.16

### **Section 4 - FIRST AID MEASURES**

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention, if needed.

#### Skin

IF ON SKIN: Remove contaminated clothing and shoes. Wash with plenty of soap and water. Get medical attention, if needed. This product may be heated during use. Contact with hot product can cause serious thermal burns.

### Eyes

IF IN EYES: If irritation or redness from exposure to vapor or mist develops, move away from exposure and rinse cautiously with water for 5 minutes. Upon direct contact with liquid, immediately flush eyes with plenty of lukewarm water, holding eyelids apart, for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention, if needed.

### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician. Never give anything by mouth to an unconscious person.

### **Most Important Symptoms/Effects**

#### Acute

May cause skin irritation. May cause eye irritation. May cause respiratory irritation.

#### Delayed

Repeated exposure may cause skin dryness or cracking.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Page 2 of 8 Rev. 2/20

#### **Section 5 - FIRE FIGHTING MEASURES**

SDS ID: 820070

### **Extinguishing Media**

### **Suitable Extinguishing Media**

Use extinguishing agents appropriate for surrounding fire.

#### **Unsuitable Extinguishing Media**

Do not use high-pressure water streams. Avoid using a direct stream of water. Directly spraying water or foam onto hot burning product may cause frothing.

#### Special Hazards Arising from the Chemical

Negligible fire hazard. Avoid friction, static electricity and sparks.

#### **Hazardous Combustion Products**

Burning may produce oxides of carbon.

#### Advice for firefighters

Use water spray to keep fire-exposed containers cool.

#### **Fire Fighting Measures**

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

### **Special Protective Equipment and Precautions for Firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

#### **Section 6 - ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

### Methods and Materials for Containment and Cleaning Up

Spilled product is slippery. Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, spark proof tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal. There may be specific federal regulatory reporting requirements associated with spills, leaks, or releases of this product. Also see SECTION 15: REGULATORY INFORMATION.

#### **Section 7 - HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Keep away from sparks and naked flames. Where flammable mixtures may be present, equipment safe for such locations should be used. Use clean tools and explosion-proof equipment. Use in a well ventilated area. Avoid contact with eyes, skin, clothing, shoes.

### Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Do not store below 40Further information: Storage. Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from flame, sparks, static electricity, or other sources of ignition. Empty product containers may retain product residue and can be dangerous.

## **Incompatible Materials**

Oxidizers, reducing agents, acids.

Page 3 of 8 Rev. 2/20

# Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

SDS ID: 820070

#### **Component Exposure Limits**

Canada and ACGIH have not developed exposure limits for any of this product's components.

### ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

### **Engineering Controls**

Provide general ventilation. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls.

# **Individual Protection Measures, such as Personal Protective Equipment**

### Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

#### **Respiratory Protection**

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

#### **Skin Protection/Glove Recommendations**

Where skin contact is likely, wear gloves impervious to product; use of natural rubber (latex) or equivalent gloves is not recommended. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant face shield, boots, apron, whole body suits or other protective clothing. When product is heated and skin contact is likely, wear heat-resistant gloves, boots, and other protective clothing.

### **Protective Materials**

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, Gloves, and Lab coat or apron.

### **Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Clear, amber liquid	Physical State	Liquid
Odor	Mild	Color	Milky white
Odor Threshold	Not available	рН	2.5% Solution: 10.4 5% Solution: 10.5 10% Solution: 11.0
<b>Melting Point</b>	0 °C (32°F)	<b>Boiling Point</b>	100 °C (212°F)
<b>Boiling Point Range</b>	Not available	Freezing point	Not available
<b>Evaporation Rate</b>	<1 (butyl acetate = 1)	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	>100 °C (212°F)
Lower Explosive Limit	Not available	Decomposition temperature	Not available
<b>Upper Explosive Limit</b>	Not available	Vapor Pressure	17.5 mm Hg @ 20 °C (approx.)

Page 4 of 8 Rev. 2/20

Material Name: ArmaKleen 4 in 1 Cleaner – Cleaning Solution

Vapor Density (air=1) <1 (Air) Specific Gravity (water=1) 1.005

Water Solubility (complete) Partition coefficient: n-

octanol/water

Not available

SDS ID: 820070

Viscosity Not available Physical Form Liquid.

Solubility (Other) Not available Density 0.9

Molecular Weight Not available

2.5% Solution 0.51 WT%; 0.044 LB/US gal; 5.25 g/L; As per 40 CFR Part 51.100(s) 5.0% Solution 1.02 WT%; 0.088 LB/US gal; 10.5 g/L; As per 40 CFR Part 51.100(s)

VOC Vapor Pressure @ $38^{\circ}$ C = 0.644 mmHg

Volatile Organic Compounds (As regulated) 10% Solution

2.04 WT%; 0.175 LB/US gal; 21g/L; As per 40 CFR Part 51.100(s)

VOC Vapor Pressure @ $38^{\circ}$ C = 0.734 mmHg

Product Vapor Pressure @20°C = 17.5 mmHg

This product does not contain an ingredient that meets the definition of a 'Photochemically Reactive Solvent' as found in California's South Coast Air Quality Management District Rule 102 – Definition of Terms. Consult your state or local air district regulations for location specific information.

# Section 10 - STABILITY AND REACTIVITY

#### Reactivity

No reactivity hazard is expected.

#### **Chemical Stability**

Stable under normal temperatures and pressures.

### **Possibility of Hazardous Reactions**

Will not polymerize.

### **Conditions to Avoid**

Avoid flames, sparks and other sources of ignition

### **Incompatible Materials**

Oxidizers, acids, reducing agents.

## Hazardous decomposition products

None under normal temperatures and pressures.

### Thermal decomposition products

Oxides of carbon.

### **Section 11 - TOXICOLOGICAL INFORMATION**

### **Information on Likely Routes of Exposure**

### Inhalation

May cause respiratory irritation.

### **Skin Contact**

May cause skin irritation. Repeated exposure may cause skin dryness or cracking. Contact with heated material may cause serious thermal burns.

### **Eye Contact**

May cause eye irritation.

#### Ingestion

Large amounts may cause gastrointestinal disturbances.

### **Acute and Chronic Toxicity**

Component Analysis - LD50/LC50

Page 5 of 8 Rev. 2/20

SDS ID: 820070

### Material Name: ArmaKleen 4 in 1 Cleaner - Cleaning Solution

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

### **Product Toxicity Data**

### **Acute Toxicity Estimate**

No data available.

#### **Immediate Effects**

May cause skin irritation. May cause eye irritation. May cause respiratory irritation.

#### **Delayed Effects**

Repeated exposure may cause skin dryness or cracking.

### Irritation/Corrosivity Data

May cause skin irritation. May cause eye irritation. May cause respiratory irritation.

#### **Respiratory Sensitization**

No information available for the product.

#### **Dermal Sensitization**

No information available for the product.

#### **Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

#### Germ Cell Mutagenicity

No information available for the product.

#### **Tumorigenic Data**

No data available

### **Reproductive Toxicity**

No information available for the product.

#### Specific Target Organ Toxicity - Single Exposure

No information on significant adverse effects.

### **Specific Target Organ Toxicity - Repeated Exposure**

No information on significant adverse effects.

### **Aspiration hazard**

No information available for the product.

#### **Medical Conditions Aggravated by Exposure**

Individuals with pre-existing respiratory tract (nose, throat, and lungs), eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

### **Section 12 - ECOLOGICAL INFORMATION**

#### **Component Analysis - Aquatic Toxicity**

No ecotoxicity data are available for this product's components.

### Persistence and Degradability

No information available for the product.

### **Bioaccumulative Potential**

No information available for the product.

#### **Mobility**

No information available for the product.

### Other Toxicity

No additional information is available.

### **Section 13 - DISPOSAL CONSIDERATIONS**

#### **Disposal Methods**

Page 6 of 8 Rev. 2/20

### Material Name: ArmaKleen 4 in 1 Cleaner - Cleaning Solution

Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact ArmaKleen regarding proper recycling or disposal.

SDS ID: 820070

#### **Section 14 - TRANSPORT INFORMATION**

US DOT Information: Not regulated for transport.
IATA Information: Not regulated for transport.
TDG Information: Not regulated for transport.

**International Bulk Chemical Code** 

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

### **Section 15 - REGULATORY INFORMATION**

#### **Canada Regulations**

#### **CEPA - Priority Substances List**

None of this product's components are on the list.

### **Ozone Depleting Substances**

None of this product's components are on the list.

### Council of Ministers of the Environment - Soil Quality Guidelines

None of this product's components are on the list.

### Council of Ministers of the Environment - Water Quality Guidelines

None of this product's components are on the list.

### **U.S. Federal Regulations**

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

#### California

Not listed under California Proposition 65.

### SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactivity: No

### **Section 16 - OTHER INFORMATION**

#### **NFPA Ratings**

Health: 1 Fire: 1 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

## **Summary of Changes**

Regulatory review and update.

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC – European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -

Page 7 of 8 Rev. 2/20

### Material Name: ArmaKleen 4 in 1 Cleaner - Cleaning Solution

Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database: JP - Japan: Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

SDS ID: 820070

### Other Information

#### Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, ArmaKleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.

Page 8 of 8 Rev. 2/20