

FULLY LOADED, NO MATTER HOW YOU LOAD THEM.

Whether you need a top-loading cabinet or your work demands a front-loader, Safety-Kleen can match your cleaning needs to the perfect spray cabinet.



INDUSTRY-LEADING EQUIPMENT. A FULL LINE OF CHEMISTRIES. WORLD-CLASS SERVICE. ALL DESIGNED TO MEET YOUR AUTOMATIC PARTS-WASHING NEEDS.

Whether it's the size of your parts, the parts you're cleaning or just the quest for efficiency in your operation, Safety-Kleen's line of automated spray washers can give you exactly what you're looking for.

A successful cleaning operation consists of:

1. The right equipment
2. The right chemistry
3. A comprehensive and compliant service program

Not only do we offer a full line of front-loading and top-loading automatic spray washers, we can custom-build equipment to your individual cleaning needs. Our chemistries are designed and produced by the best in the business and all of our washers are available with service by Safety-Kleen, the industry leader for over 58 years.



**The
ArmaKleen
Company™**

safety-kleen®



Our spray cabinets use high-quality chemistries by ArmaKleen™.

TOP-LOAD SPRAY WASHERS

Our top loaders are perfect for those applications where you need highly efficient cleaning but don't have a great deal of floor space. All models feature an automated, friction-drive turntable to get complete 360-degree cleaning coverage.

Our top-loaders are equipped with automatic oil skimmers and fluid-level shutoffs to protect the heater elements. For use with an aqueous-based cleaning solution.

Model 5500

Features:

- 304 Stainless Steel Construction
- 7-day, 24-hr programmable timer
- Locking Casters
- Auto fill with chemical injector system
- Oil Skimmer
- Low-water Shutoff
- Adjustable thermostat
- Lid Safety Switch
- Chip Tray
- Stainless Steel Nozzles



Model 9200

Features:

- Oil Skimmer - Belt
- Low-water shut-off
- Chip Tray
- Adjustable thermostat
- Lid Safety Switch
- Stainless Steel Nozzles



FRONT-LOAD SPRAY WASHERS

Parts rotate on an automated, friction-drive turntable to get complete 360-degree coverage for precise and effective parts cleaning. Our front-loaders are equipped with automatic oil skimmers and fluid-level shutoffs to protect the heater elements. For use with an aqueous-based cleaning solution.



Model 9400

Features:

- Painted Carbon Steel Construction (Only)
- 7-day, 24-hr programmable timer
- Auto fill with chemical injector system
- Locking Casters
- Increased Weight Capacity
- Low-water shut-off
- Oil Skimmer
- Chip Tray
- Parts Tree
- Adjustable thermostat
- Lid Safety Switch
- Tank Drain
- Stainless Steel Nozzles



Model 9600

Features:

- Painted Carbon Steel Construction
- 7-day, 24-hr programmable timer
- Auto fill with chemical injector system
- Locking Casters
- Increased Weight Capacity
- Low-water shut-off
- Swing-away spray bar
- Oil Skimmer
- Chip Tray
- Parts Tree
- Adjustable thermostat
- Lid Safety Switch
- Tank Drain
- Stainless Steel Nozzles



Model 9800

Features:

- 304 stainless steel construction (Only)
- 7-day, 24-hr programmable timer
- Auto fill with chemical injector system
- Increased Weight Capacity
- Low-water shut-off
- Swing-away spray bar
- Oil Skimmer
- Chip Tray
- Parts Tree
- Adjustable thermostat
- Lid Safety Switch
- Tank Drain
- Stainless Steel Nozzles

Aqueous Spray Washers - Specifications

Specifications	Model 9200	Model 5500	Model 9400	Model 9600	Model 9800
Overall Dimensions	34"L x 36"W x 50"H	45.5"L x 51.5"W x 42"H	42"L x 50"W x 65"H	42"L x 50"W x 65"H	54.5"L x 60"W x 77"H
Turntable Diameter	24"	32"	30"	30"	40"
Inside Working Height	23"	20"	40"	40"	52"
Weight Capacity	250 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	2000 lbs.
Pump / Motor	0.75 H.P.	1.5 H.P.	1.5 H.P.	3.0 H.P.	5.0 H.P.
Pump Output (Max Capacity)	17 PSI / 40 GPM	31 PSI / 16 GPM	28 PSI / 40 GPM	30 PSI / 97 GPM	50 PSI / 140 GPM
Fluid Capacity	32 U.S. Gallons	55 U.S. Gallons	60 U.S. Gallons	70 U.S. Gallons	135 U.S. Gallons
Heater Rating	4,500 Watts	6,000 Watts	6,000 Watts	9,000 Watts	13,500 Watts
Power Configuration	230V - 1 Phase	230V - 1 Phase	230V - 1 Phase	230V - 1 Phase	230V - 3 Phase
Amp Draw	28 Amps	35 Amps	37.1 Amps	56.7 Amps	51.2 Amps
Agency Listing	C.S.A. / U.S.	C.S.A. / U.S.	C.S.A. / U.S.	C.S.A. / U.S.	C.S.A. / U.S.

