Application for a Medical Waste Registration Safety-Kleen Systems Clean Harbors Environmental Services





Texas Commission on Environmental Quality



Waste Permits Division Correspondence Cover Sheet

Date: <u>3/1/2024</u> Facility Name: <u>Safety Kleen Systems</u> Permit or Registration No.: _____ Nature of Correspondence: Initial/New
Response/Revision to TCEQ Tracking No.:
29260760 (from subject line of TCEQ letter regarding initial submission)

Affix this cover sheet to the front of your submission to the Waste Permits Division. Check appropriate box for type of correspondence. Contact WPD at (512) 239-2335 if you have questions regarding this form.

Applications	Reports and Notifications
New Notice of Intent	Alternative Daily Cover Report
□ Notice of Intent Revision	Closure Report
New Permit (including Subchapter T)	Compost Report
New Registration (including Subchapter T)	Groundwater Alternate Source Demonstration
Major Amendment	Groundwater Corrective Action
Minor Amendment	Groundwater Monitoring Report
Limited Scope Major Amendment	Groundwater Background Evaluation
Notice Modification	Landfill Gas Corrective Action
Non-Notice Modification	Landfill Gas Monitoring
Transfer/Name Change Modification	Liner Evaluation Report
Temporary Authorization	Soil Boring Plan
Voluntary Revocation	Special Waste Request
Subchapter T Disturbance Non-Enclosed Structure	Other:
Other: Medical Waste Transfer NOD Response	

Table 1 - Municipal Solid Waste Correspondence

Table 2 - Industrial & Hazardous Waste Correspondence

Applications	Reports and Responses
New	Annual/Biennial Site Activity Report
Renewal	CPT Plan/Result
Post-Closure Order	Closure Certification/Report
🗌 Major Amendment	Construction Certification/Report
Minor Amendment	CPT Plan/Result
CCR Registration	Extension Request
CCR Registration Major Amendment	Groundwater Monitoring Report
CCR Registration Minor Amendment	Interim Status Change
Class 3 Modification	Interim Status Closure Plan
Class 2 Modification	Soil Core Monitoring Report
Class 1 ED Modification	Treatability Study
Class 1 Modification	Trial Burn Plan/Result
Endorsement	Unsaturated Zone Monitoring Report
Temporary Authorization	UWaste Minimization Report
Voluntary Revocation	Other:
335.6 Notification	
Other:	

Texas Commission on Environmental Quality

Application for a Medical Waste Registration

Safety-Kleen Systems Clean Harbors Environmental Services

Registration

Robstown, Nueces County, Texas

October 31, 2023 Preliminary Review Revision Date: March 1, 2024

Prepared for

Clean Harbors Environmental Services

2203 Tower Road

Robstown, TX 78380


Prepared by

J.W. Caldwell, P.E.

Clean Harbors Environmental Services

42 - Longwater Drive

Norwell, Massachusetts 02061



TCEQ-20789, Application for a Medical Waste Registration (Rev. 08-15-22)

	Contents
Section 1	L— General Information
1.1 F	acility Information (must match regulated entity information on Core Data Form)
	pplicant Information
	Sovernmental Entities Information4
	osting of Application on Website [30 TAC §326.69(e)]
	Copy of Application for Public Viewing6
	lotice of Opportunity to Request Public Meeting7
	pplication Fee [30 TAC §330.59(h)(2)]7
	acility Supervisor's License [30 TAC §326.71(c)]7
Section 2	2— Facility Design Information8
	mpact on Surrounding Area [30 TAC §326.71(a)(5)(A) & (B)]8
2.2 T	ransportation [30 TAC §326.71(e)]8
2.3 F	loodplain and Wetlands [30 TAC §326.71(f)]9
	Suffer Zones and Easement Protection [30 TAC §326.71(h)(3)]10
	Vaste Management Unit Designs [30 TAC §326.71(i)]10
	reatment Requirements [30 TAC §326.71(j)]11
	3— Facility Closure
3.1 0	Closure Plan [30 TAC §326.71(k)]12
	Closure Cost Estimate [30 TAC §326.71(m)]13
Section 4	4— Site Operating Plan15
4.1 (General [30 TAC §326.75(a)]15
4.2 \	Vaste Acceptance [30 TAC §326.75(b)]16
4.3 (Generated Waste [30 TAC §326.75(c)] 17
4.4 <i>A</i>	Access Control [30 TAC §326.75(g)]17
4.5 (Dperating Hours [(30 TAC §326.75(i)]18
Section	5— Other Site Operating Plan, Financial Assurance, and Closure
Require	nents
Section	6— Applicant Certification and Signature
Certifica	tion by Applicant or Authorized Signatory [30 TAC §305.44]
	nt's Delegation of Signature Authority [30 TAC §305.43]
	7— Property Owner Affidavit
	[30 TAC §326.71(b)]
	ents
	volvement Plan98-101



TCEQ-20789, Application for a Medical Waste Registration (Rev. 08-15-22)

Section 1–General Information

1.1 Facility Information (must match regulated entity information on Core Data Form)

Facility Name: Safety-Kleen Systems

Regulated Entity Reference No. (if issued): RN<u>111655866</u>

Physical or Street Address (if available): <u>2203 Tower STE A</u>

City: Robstown	County: Nueces	State: TX	Zip Code: 78380

(Area Code) Telephone Number: <u>361-445-8670</u> Email Address: <u>Scott.Vincent@safety-kleen.com</u>

Latitude (Degrees, Minutes, Seconds, or Decimal Degrees): 27.81418

Longitude (Degree, Minutes, Seconds, or Decimal Degrees): <u>-97.648111</u>

Activities Conducted at the Facility (check all that apply)

🛛 Storage	Treatment	🛛 Transfer	🗌 Other
-----------	-----------	------------	---------

Describe the location of the facility with respect to known or easily identifiable landmarks:

North of E. Congressman Soloman Ortiz Blvd West

Detail access routes from the nearest United States or state highway to the facility:

69E N to Bus77 N exit, loop bus77 S to Ortiz Blvd West 44 (right) Tower Rd N (right)

1.2 Applicant Information

The owner of a facility is the applicant, to whom the registration would be issued.

Owner of Facility (must match customer information on Core Data Form)

Owner Name: Safety-Kleen Systems

Contact Person's Name: Scott Vincent Title: General Manager

Customer Reference No. (if issued): CN600128128

Mailing Address: 2203 Tower Road

City: Robstown	Count <u>y: Nueces</u>	State: <u>TX</u>	Zip Code: <u>78380</u>
-----------------------	-------------------------------	------------------	-------------------------------

(Area Code) Telephone Number: <u>361-445-8670</u> Email Address: <u>Scott.Vincent@safety-</u>kleen.com

Preliminary Review (3/1/2024)

Initial Application Submittal Date (11/03/2023) Revision (3/1/2024)

Operator of Facility (if not the same as Owner of Facility)
Operator Name: Clean Harbors Environmental Services
Contact Person's Name: <u>Scott Vincent</u> Title: <u>General Manager</u>
Customer Reference No. (if issued): CN <u>600322796</u>
Mailing Address: 2203 Tower Road
City: <u>Robstown</u> County: <u>Nueces</u> State: <u>TX</u> Zip Code: <u>78380</u>
(Area Code) Telephone Number: <u>361-445-8670 Em</u> ail Address: sco <u>tt.vincent@safety-kleen.</u> com
Consultant (if applicable)
Firm Name: Clean Harbors Environmental Services
Texas Board of Professional Engineers Firm Registration Number:
Contact Person's Name: Bill Caldwell Title: VP Process & Tech Engineering
Texas Board of Professional Engineers License Number (if applicable): 794038
Mailing Address: 42 - Longwater Drive
City: Norwell County: Plymouth State: MA Zip Code: 02061
(Area Code) Telephone Number: <u>980-233-6724</u> Email Address: <u>caldwell.bill@cleanharbors.com</u>
1.2 Covernmental Entities Information
1.3 Governmental Entities Information
1.3 Governmental Entities Information Texas Department of Transportation
Texas Department of Transportation
Texas Department of Transportation District: <u>Corpus Christi</u>
Texas Department of Transportation District: <u>Corpus Christi District Engineer's Name: Valente Olivarez</u>
Texas Department of Transportation District: <u>Corpus Christi</u> District Engineer's Name: <u>Valente Olivarez</u> Street Address or P.O. Box: <u>1701 S.Padre Island Drive</u>
Texas Department of Transportation District: Corpus Christi District Engineer's Name: Valente Olivarez Street Address or P.O. Box: 1701 S.Padre Island Drive City: Corpus Christi County: Nueces State: TX Zip Code: 78416 (Area Code) Telephone Number: 361-808-2275 Email Address:
Texas Department of Transportation District: Corpus Christi District Engineer's Name: Valente Olivarez Street Address or P.O. Box: 1701 S.Padre Island Drive City: Corpus Christi County: Nueces State: TX Zip Code: 78416 (Area Code) Telephone Number: 361-808-2275 Email Address: valente.olivarez@txdot.gov Email Address:
Texas Department of Transportation District: Corpus Christi District Engineer's Name: Valente Olivarez Street Address or P.O. Box: 1701 S.Padre Island Drive City: Corpus Christi County: Nueces State: TX Zip Code: 78416 (Area Code) Telephone Number: 361-808-2275 Email Address: valente.olivarez@txdot.gov Local Government Authority Responsible for Road Maintenance (if applicable)
Texas Department of Transportation District: Corpus Christi District Engineer's Name: Valente Olivarez Street Address or P.O. Box: 1701 S.Padre Island Drive City: Corpus Christi County: Nueces State: TX Zip Code: 78416 (Area Code) Telephone Number: 361-808-2275 Email Address: valente.olivarez@txdot.gov Local Government Authority Responsible for Road Maintenance (if applicable) Agency Name: Texas Department of Transportation
Texas Department of Transportation District: Corpus Christi District Engineer's Name: Valente Olivarez Street Address or P.O. Box: 1701 S.Padre Island Drive City: Corpus Christi County: Nueces State: TX Zip Code: 78416 (Area Code) Telephone Number: 361-808-2275 Email Address: valente.olivarez@txdot.gov Local Government Authority Responsible for Road Maintenance (if applicable) Agency Name: Texas Department of Transportation Contact Person's Name: David Franco

City Mayor

City Name: <u>City of Robstown</u>

City Mayor's Name: Gilber	rt Gomez			
Mailing Address: 101 East	Main			
City: <u>Robstown</u>	County: <u>Nueces</u>	State: TX	Zip Code:	78380
(Area Code) Telephone Nu ggomez@cityofrobstown.c				
Council of Governments	s (COG)			
COG Name: <u>Coastal Bend</u>	Council of Governments			
COG Representative's Nar	ne: John P. Buckner			
COG Representative's Title	e: Executive Director			
Street Address or P.O. Bo	x: 2910 Leopard Street			
City: <u>Corpus Christi</u>	County: <u>Nueces</u>	State: TX	Zip Code:	78408
(Area Code) Telephone Nu	umber: <u>361-232-5326</u>	_Email Address: john@	ecbcog.org	
Local Government Juris	sdiction			
Is the facility located outs town? (30 TAC §326.67(a			ction of a cit	y or
If yes, and county require county must send a copy	5		5	the
City Health Authority (i	f applicable)			
Agency Name: <u>Robstown</u>	Health			
Contact Person's Name: \underline{B}	eatriz Charo			
Street Address or P.O. Bo	x: <u>101 East Main Street</u>			
City: <u>Robstown</u>	County: <u>Nueces</u>	State: TX	Zip Code:	78380_
(Area Code) Telephone Nu bcharo@cityofrobstown.co				
County Judge Informat	ion			
County Judge's Name: Jud	dge Connie Scott			
Street Address or P.O. Bo	x: <u>901 Leopard Street</u>			
City: <u>Corpus Christie</u>	County: <u>Nueces</u>	State: TX	Zip Code:	78401_
(Area Code) Telephone Nu	umber: <u>361-888-0444</u>	Email Address: conn	iie.scott@nu	<u>ecesco.</u> com

Г

County Health Authority (if applicable)	
Agency Name: Nueces County Health	
Contact Person's Name: Dr. Fauzia Khan	
Street Address or P.O. Box: <u>1702 Horne Road</u>	
City: <u>Corpus Christie</u> County: <u>Nueces</u>	State: TX Zip Code: 78401
(Area Code) Telephone Number: <u>361-826-7200</u>	_ Email Address: <u>drram@cctexas.com</u>
State Representative	
House District Number: <u>34</u>	
Representative's Name: Abel Herrero	
District Office Address: <u>101- East Main Street</u>	
City: <u>Robstown</u> County: <u>Nueces</u>	State: TX Zip Code: 78380
(Area Code) Telephone Number: <u>361-387-0457</u>	_ Email Address: <u>Abel.Herrero@house.tex</u> as.go
State Senator	
Senate District Number: 20	
State Senator's Name: Juan Hinojosa	
District Office Address: <u>602 - N.Staples Street</u>	
City: <u>Corpus Christie</u> County: <u>Nueces</u>	State: TX Zip Code: 78401
(Area Code) Telephone Number: <u>361-882-0900</u>	_ Email Address: juan.hinojosa@senate.texas.
1.4 Posting of Application on Website [3	30 TAC §326.69(e)]
Provide the web address (URL) of the publicly acces application and all revisions will be posted:	ssible internet website where the
https://www.safety-kleen.com/support/technical/reg	egulatory-information
1.5 Copy of Application for Public Viewir	ng
Name of the Public Place: Nueces County TX Public L	Library - Keach Library
Physical Address: 1000 Terry Shamsie Blvd.	
City: <u>Robstown</u> County: <u>Nueces</u>	State: TX Zip Code: 78380
(Area Code) Telephone Number: <u>361-387-3431</u>	_

1.6 Notice of Opportunity to Request Public Meeting

Notice Requirement

The owner or operator is required by 30 TAC §326.73 to provide notice of the opportunity to request a public meeting, and to post notice signs.

Indicate the party responsible for publishing notice:

Applicant (Owner or Operator)

Alternative Language Requirement

Use the Alternative Language Checklist on Public Notice Verification form <u>TCEO-20244-</u> <u>Waste-NAORPM</u>¹ to determine if an alternative language notice is required.

Is an alternative language notice required for this application?

Yes XNo

Indicate the alternative language: NA

1.7 Application Fee [30 TAC §330.59(h)(2)]

The application fee for a registration is \$150.

Indicate how the application fee was paid. Attach a photocopy of the check or a copy of the electronic payment receipt.

Check Online X

Trace # 582EA000573731

If paid online, e-Pay confirmation number: <u>Autherization # 000</u>0067953

1.8 **Facility Supervisor's License [**30 TAC §326.71(c)]

Indicate the type of license that the Solid Waste Facility Supervisor (as defined in 30 TAC Chapter 30), will obtain prior to commencing facility operations:

Class A 🗌 Class B 🛛

¹ https://www.tceq.texas.gov/downloads/permitting/waste-permits/forms/20244-waste-naorpm.pdf

Section 2—Facility Design Information

2.1 Impact on Surrounding Area [30 TAC §326.71(a)(5)(A) & (B)]

This section addresses the facility's impacts on cities, communities, groups of property owners, or individuals (attach additional pages to answer the following questions, if necessary):

Describe the character of the surrounding area land uses within one mile of the facility:

North consist of light Industrial and tillable/non-tillable Agriculture Land Use. West consist of tillable/non-tillable Agriculture Land Use. East and South consist of light Industrial, Residential, Commercial Businesses, RV Parks, LP Gas Company, Hotel, Church(s), Small Businesses.

Identify growth trends within five miles of the facility with directions of major development:

<u>No growth trends to speak of to the West and North. East is mainly tillable land use with</u> <u>mild small businesses no expected growth trends in this area as well. South is Robstown</u> <u>City of and growth trends can be favorable depending on Industrial Commercial expansion.</u>

Indicate the approximate number of residences and other uses (e.g. schools, churches, cemeteries, historic structures and commercial sites, etc.) within one mile of the facility:

<u>Church .5 miles to the South East, RV Park 1,200 ft to the East, Hotel .5 miles to the North East, Commercial Businesses on Tower Road to the North and South.</u>

Indicate the distance to the nearest residence(s): 1,400 🖾 feet \square miles

Provide directions to the nearest residence(s):

South on Tower Road, East on Congressman Soloman Ortiz Blvd approx 1000 ft.

Indicate the distance to the nearest commercial establishment(s): $200 \boxtimes$ feet \square miles

Provide directions to the nearest commercial establishment(s):

Property directly to the South on Tower Road.

2.2 Transportation [30 TAC §326.71(e)]

Access Roads

Complete Table 1 regarding the roads that will be used to access the site.

Table 1. Roads That Will be Used to Access the Site.

Name of Road	Surface Type and Number of Lanes
E.Congressman Soloman Ortiz Blvd	Asphalt two Lane
Tower Road	Asphalt two Lane

Daily Traffic Volume

Complete Table 2 regarding existing and expected volume of vehicular traffic on access roads within one mile of the facility, and the projected volume of traffic expected to be generated by the facility on access roads within one mile of the facility.

Table 2. Traffic Volume.

Vehicle Traffic	Volume (vehicles per day)
Existing Vehicle Traffic	787
Expected Vehicle Traffic	788
Projected Vehicle Traffic Generated by Facility	1 additional vehicle

Describe the source of or method used to obtain the volumes (attach additional pages to answer this question if necessary):

https://txdot.maps.arcgis.com/apps/webappviewer/index.html?id=06fea0307dda42c197619 4bf5a98b3a1. TX DOT data from this report indicated 787 count per day on Congressman Soloman Ortiz Blvd direction West. One additional truck per day which shows the project impact as insignificant.

If traffic volume was determined by counts in the field, indicate the locations where the counts were conducted (attach additional pages to answer this question if necessary):

<u>N/A</u>

2.3 Floodplain and Wetlands [30 TAC §326.71(f)]

Will the facility be located within a 100-year floodplain?

Yes No No Identify the floodplain zone <u>AE</u>

Attach a copy of the Federal Emergency Management Administration administrator (FEMA) flood map for the area.

If the facility will be within a 100-year floodplain, attach documentation demonstrating that the facility is designed and will be operated in a manner to prevent washout of waste during a 100-year storm event, or that the facility has obtained a conditional letter of map amendment from the FEMA.

Will the facility be located in wetlands?

Yes 🗌 🛛 No 🛛

If yes, attach documentation to the extent required under Clean Water Act, §404 or applicable state wetlands laws.

2.4 Buffer Zones and Easement Protection [30 TAC §326.71(h)(3)]

Is the buffer zone in any location at the facility less than 25 feet wide?

Yes 🗌 🛛 No 🖾

If yes, describe your alternative buffer zone and how it will allow access for emergency response and maintenance (attach additional pages to answer this question if necessary):

2.5 Waste Management Unit Designs [30 TAC §326.71(i)]

Waste Management Unit Details

List each waste management unit in Table 3. Include attachments documenting manufacturer specifications.

Table 3. Design Details and Manufacturer Specifications for Waste Management Units.

Unit Type	Minimum Number of Units	Design Details	Approximate Dimensions	Approximate Capacity per Unit
Refrigerated Trailer	1	See Attachment 17	52X8 ft	30,000 lbs
Medical Waste Containers	1	See Attachment 17	Varies	Varies

Foundations and Supports

Provide a generalized description of construction materials for slab and subsurface supports of all storage and processing components (attach additional pages to answer this question if necessary):

<u>All operations will be in exsting buildings and truck to trailer transfers. Construction</u> materials for slab and subsurfaces are concrete footers with reinforced rebar in the slab.

Contaminated Water Management

Describe how storage and processing areas will be designed to control and contain spills and prevent contaminated water from leaving the facility. For unenclosed containment areas, also account for precipitation from a 25-year, 24-hour storm (attach additional pages to answer this question if necessary):

All medical waste remains in sealed containers that meet all requirements to be leak proof, rodent proof with tight fitting lids and appropriate labels. Containers are not opened, emptied nor consolidated. There is no cleaning nor use of water in this operation. Containers will be stored in the warehouse or on vehicles at all times. Each vehicle and the warehouse have spill kits should the need arise. The transfer station has a spill kit which contains first aid kit, personal protective equipment (gloves, goggles, face mask, shoe covers, disposable gown), absorbent materials, forceps, biohazard bags, disinfectant, dustpan and brush. Additionally, bleach, disinfectant wipes, shovel, broom, extra supplies of biohazardous and sharps waste containers, red biohazard bags and fire extinguisher are located within the facility. An eyewash station is available and easily accessible within the facility. The vehicles are all equipped with a spill kit, same as above.

2.6 Treatment Requirements [30 TAC §326.71(j)]

Attach a written procedure for the operation and testing of any equipment used, and for the preparation of any chemicals used in treatment.

No treatment of waste is done at this location

Section 3-Facility Closure

3.1 Closure Plan [30 TAC §326.71(k)]

The operator must comply with the closure requirements listed in 30 TAC §326.71(k).

List other activities that the facility will conduct during closure, if any (attach additional pages to answer this question if necessary):

The purpose of this project is the to bring medical waste into the facility and send it out to other permitted facilities for treatment and disposal. As such there is no finite life to this operation and no anticipated closure. Should operations cease all incoming waste will be diverted to other Company locations, and any waste at the facility will be transferred to other permitted Company sites. Additionally, the following steps will be taken:

TCEQ will be immediately notified of the intent to close and the anticipated date of final closure. Notification of the closure will be published in appropriate newspapers no later than 90 days prior and all closure activities will be completed within 180 days of notification. Upon notification to TCEQ, the will post a minimum of one sign at the main entrance and all other frequently used points of access for the facility notifying all persons who may utilize the facility of the date of closing for the entire facility and the prohibition against further receipt of waste materials after the stated date. Suitable barriers will be installed at all gates or access points to adequately prevent the unauthorized dumping of solid waste at the closed facility. Within ten days after completion of final closure activities. the facility will submit to TCEQ by registered mail:

(A) a certification, signed by an independent licensed professional engineer, verifying that final facility closure has been completed in accordance with the approved closure plan. The submittal to TCEQ will include all applicable documentation necessary for certification of final facility closure; and

(B) a request for voluntary revocation of the facility registration.

All waste will be removed from the facility and transported to another offsite facility for treatment. All storage areas of the trucks used to transport medical waste will be cleaned and disinfected. The containers are generally received in clean condition; any empty containers will be cleaned, removed and relocated.

Walls and floors in and around the biohazard storage area will be cleaned and disinfected thoroughly, as well as our transport van cargo area.

All signs designating medical waste will be removed.

All surfaces within the designated storage area including walls and floors will be disinfected with an approved hard surface disinfectant solution of enough concentration to "high level" disinfect the area.

If the trucks will continue to operate as medical waste transport vehicles the trucks will be routed to other Clean Harbors facilities as needed.

The records shall be kept for 3 years after closure.

3.2 Closure Cost Estimate [30 TAC §326.71(m)]

Provide itemized closure cost estimates in Table 4. The cost estimates must meet the requirements listed in 30 TAC §326.71(m).

Attach documents detailing any additional unit closure costs not itemized. Enter the total of those additional unit closure costs on line 13 of the closure cost worksheet in Table 4.

l tem No.	I tem Description	Unit of Measure- ment	Quantity	Unit Cost	Total Cost
1	Site Evaluation and Engineering Review	NA	40 hours	\$175	7000
2	Bid Document and Procurement	NA	80 hours	\$75	6000
3	Contract Award and Administration	NA	10 hours	\$125	1250
4	Clean-Up, Removal and Transport of Waste Stored On-Site	NA	4 truck loads	\$1000	4000
5	Disposal of Waste at an Authorized Facility	lbs	5000	\$0.40	2000
6	Waste Treatment	lbs	100,000	\$0.40	40000
7	Process Units Dismantling	NA	0	\$0	0
8	Wash Down and Disinfection of Facility and Processing Units	NA	40 hours	\$100	4000
9	Vector Control	NA	25 hours	\$100	2500

Table 4. Closure Cost Estimates Worksheet.

l tem No.	I tem Description	Unit of Measure- ment	Quantity	Unit Cost	Total Cost
10	Site Security	NA	75 hours	\$100	7500
11	Signs, Newspaper Notice and TCEQ Notice	NA	1	\$2500	2500
12	Facility Inspection and Closure Certification by Licensed Engineer	NA	10 hours	\$250	2500
13	Additional Storage and Processing Unit Closure Cost Items (describe in attachments)	NA	NA	NA	0
14	Storage and Processing Unit Closure Costs Subtotal	NA	NA	NA	79250
15	Contingency Cost 15%	NA	NA	NA	11887
16	Total Closure Cost Estimate	NA	NA	NA	91137

4.1 General [30 TAC §326.75(a)]

Provide the function and minimum qualifications for each category of key personnel to be employed at the facility including supervisory personnel in the chain of command (attach additional pages to answer this question if necessary):

All new employees receive OSHA 24-hour Hazardous Waste Operator and Emergency Response (HAZWOPER) training containing Bloodborne Pathogen (BBP) training before being allowed to work in the portion of the facility that contains waste. All employees receive annual refresher training that includes but is not limited to the above topics. A training course will be provided to all employees involved in the handling and tracking of medical waste. Training sessions are documented using sign in sheets and the data is stored in the company computer system. Site specific training is also conducted that includes location of emergency equipment, what to do in case of a spill, and storage locations of medical waste at the facility. All Class B licensed supervisors have gone through a TCEQ recognized or approved medical waste specialized training course. As noted above Class B certified supervisors are on site as required. See Attachment 4.1 for additional information.

Describe the procedures that the operating personnel will follow for the detection and prevention regarding the receipt of prohibited wastes, including random inspections of packaging of incoming loads, records, and training (attach additional pages to answer this question if necessary):

Procedures for the detection and prevention of the receipt of prohibited wastes include:

(A) random inspections of packaging for incoming loads;

(B) records of all inspections; and

(C) training for appropriate facility personnel responsible for inspecting or observing loads to recognize prohibited waste.

Thefollowing measures are in place to prevent and ensure that unauthorized waste is not being stored at the facility. While regulations prohibit opening bags or containers of medical waste the facility will employ random visual inspections of packaging when the transport containers are opened to make sure they are properly labeled, identified as to contents and with the corresponding required paperwork. Records of such random inspections will be maintained by the facility for three (3) years. The contract with the customer (generator) contains a clause pertaining to unauthorized disposal of waste considered non-conforming or outside the scope of regulated medical waste. The generator must sign this contract. A Waste Acceptance Protocol that outlines the laws and regulations concerning the identification, packaging, transportation, treatment, and disposal of regulated medical waste is provided to each customer (generator). In the event any non-conforming waste is received by the generator Safety-Kleen/Clean Harbors will contact the generator immediately so the unauthorized material can be returned to generator or other approved site on approval of generator for proper disposal.

Ongoing training, along with a review of customer records, is provided to customers on an as needed basis to ensure compliance with all applicable laws and regulations to ensure proper management of medical waste and protect against unauthorized disposal.

4.2 Waste Acceptance [30 TAC §326.75(b)]

Describe all sources and characteristics of medical wastes to be received for storage and processing or disposal (attach additional pages to answer this question if necessary):

The following medical wastes will be received for storage and transfer at this location:

-"Biohazardous red bags waste" includes disposable items such as dressings, bandages,gauze, PPE and other items that have been saturated with blood or body fluids. "Sharps waste" means a device that has acute rigid corners, edges, or protuberances capable of cutting or piercing, including, but not limited to, hypodermic needles, hypodermic needles with syringes, blades, needles with attached tubing, acupuncture needles, root canal files, broken glass items used in health care such as Pasteur pipettes and blood vials contaminated with biohazardous waste, and any item capable of cutting or piercing from trauma scene waste. Pathology waste includes both of the following: (A) Human body parts, except for teeth, removed at surgery and surgery specimens or tissues removed at surgery or autopsy that are suspected by the health care professional of being contaminated with infectious agents known to be contagious to humans or having been fixed in formaldehyde or another fixative. (B) Animal parts, tissues, fluids, or carcasses suspected by the attending veterinarian of being contaminated with infectious agents known to be contagious to humans.

Although not considered medical waste in Texas, "Pharmaceutical" means a prescription or over-the-counter human or veterinary drug, including, but not limited to, a drug as defined in Section 109925 of the Federal Food, Drug, and Cosmetic Act, as amended, (21 U.S.C.A. Sec. 321(g)(1)). For purposes of this part, "pharmaceutical" does not include any pharmaceutical that is regulated pursuant to either of the following: The federal Resource Conservation and Recovery Act of 1976, as amended (42 U.S.C.A. Sec. 6901 et seq.). "Trace chemotherapeutic waste" means waste that is contaminated through contact with, or having previously contained, chemotherapeutic agents, including, but not limited to, gloves, disposable gowns, towels, and intravenous solution bags and attached tubing that are empty. These nonmedical waste items may be received from time to time and transferred. Describe the sources and characteristics of recyclable materials, if applicable, to be received for storage and processing (attach additional pages to answer this question if necessary):

No recycling operations are employed at this location for regulated medical waste.

Maximum amount of waste received daily: 50000 x pounds/day tons /day

Maximum amount of waste to be stored at any point in time: <u>100000</u> \boxtimes pounds \square tons

Maximum length of time waste is to remain at the facility: <u>30</u> \Box hours \boxtimes days

Specify the maximum time that unprocessed and processed wastes will be allowed to remain on-site:

Processed: <u>NA</u> hours days

Unprocessed: 30 hours 🛛 days

Identify the intended disposition of processed and unprocessed waste received at the facility (attach additional pages to answer this question if necessary):

All waste will be transferred to authorized waste facilities, including other designated Clean Harbors treatment locations in Texas.

4.3 Generated Waste [30 TAC §326.75(c)]

Describe how all liquids and solid waste resulting from the facility operations will be disposed of in a manner that will not cause surface water and groundwater pollution (attach additional pages to answer this question if necessary):

There are no liquids resulting from operations as all waste is in containers which are not opened but transferred to outgoing vehicles for disposal elsewhere.

4.4 Access Control [30 TAC §326.75(g)]

Describe how public access to the facility will be controlled (attach additional pages to answer this question if necessary):

All gates are locked when not in use. Access is via a secured card key or code system. Only authorized Safety-Kleen and Clean Harbors employees are issued cards or codes. Visitors require sign-in and identification to have access and are escorted at all times. Badges are issued to visitors and contractors. Unescorted contractors undergo safety site training.

Describe how access roads and parking areas will be maintained to control dust and prevent mud from being track off-site (attach additional pages to answer this question if necessary):

All grounds are inspected daily and maintained in a clean and orderly condition. Vehicles are washed and cleaned as needed off-site. The site is paved and or thick rock base to prevent any mud or debris to be tracked off- site.

Access to the facility will be controlled by a perimeter fence, with lockable gates. Identify or describe the type of fence that will be installed at the facility:

A four-foot-high barbed wire fence;

 \boxtimes A six-foot-high chain-link fence; or

Other:

4.5 Operating Hours [(30 TAC §326.75(i)]

Provide the operating hours of the facility; *include justification for hours outside of* 7:00 a.m. to 7:00 p.m., Monday through Friday:

Typical facility operating hours are between the hours of 7:00 a.m. and 7:00 p.m., Monday through Friday. Routine maintenance and housekeeping operating activities' hours may be 24 hours per day 7 days a week to accommodate facility needs, and operating hours for the regulated medical waste acceptance and transfer operation may be performed during those times to accommodate needs of customers for after hours, holiday and weekend service. Administrative office hours are Monday through Friday 8 am to 5 pm.

List the alternative operating hours, if any, of up to five days in a calendar-year period:

NA

Section 5—Other Site Operating Plan, Financial Assurance, and Closure Requirements

Attach additional pages describing how the facility will comply with the following requirements.

- 30 TAC §326.75(d), Storage
- 30 TAC §326.75(e), Recordkeeping and Reporting
- 30 TAC §326.75(f), Fire protection Plan
- 30 TAC §326.75(g)(2), Access Roads, Vehicle Parking, and Safety Measures
- 30 TAC §326.75(g), Access Control
- 30 TAC §326.75(h), Unloading of Waste
- 30 TAC §326.75(i)(3), Recording of Applicable Alternative Hours (if used)
- 30 TAC §326.75(j), Signs at Facility Entrances
- 30 TAC §326.75(k), Control of Windblown Material and Litter
- 30 TAC §326.75(I), Facility Access Roads
- 30 TAC §326.75(m), Noise Pollution and Visual Screening
- 30 TAC §326.75(n), Overloading and Breakdown
- 30 TAC §326.75(o), Sanitation
- 30 TAC §326.75(p), Ventilation and Air Pollution Control
- 30 TAC §326.75(q), Health and Safety
- 30 TAC 326.75(r), Disposal of Treated Medical Waste (if applicable)
- 30 TAC §326.71(n); Financial Assurance
- 30 TAC §326.71(I)(1); provide notice for final facility closure and information for the public and executive director no later than 90 days prior to initiating final closure.
- 30 TAC §326.71(I)(2); install signs and barriers upon notification of final closure to the executive director.
- 30 TAC §326.71(I)(3); provide certification of closure, and a request for voluntary revocation of facility registration within 10 days after completion of final closure of the facility.

• 30 TAC §326.75(d), Storage

All regulated medical waste arriving at the facility will be off loaded and placed into the refrigerated trailer as shown on the facility drawings so as not to create a nuisance, and to prevent putrefaction.

All medical waste will be stored separate from all other waste materials or other processes. This facility has existing protocols to control odors, vectors, and windblown waste. There are comprehensive general housekeeping practices that include daily inspections both inside the buildings and on the grounds, and prompt trash pickup of any debris to maintain a clean environment. Any vector problems will result in exterminator companies dispatched as needed to immediately address the problem. All medical waste containers are located on the vehicle.

All containers coming onto the property are promptly and subsequently transferred to other locations. Medical waste containers will be transferred from truck to truck, removed from trucks and placed in temporary storage (<72 hours) prior to being shipped offsite, and/or being placed in a self-contained refrigerated trailer approximately 52' in length before being shipped offsite for treatment and/or final disposal. See Appendix 5.1 for an example of a refrigeration unit. At no time are containers mechanically handled, so the integrity of each container is maintained during storage, handling, and transport.

No compactor is used for waste at any time, so there is no risk of public nuisance through material loss or spillage, odor, vector breeding or harborage, or other conditions.

• 30 TAC §326.75(e), Recordkeeping and Reporting

A copy of the registration, the approved registration application, and any other required plan or other related document shall always be maintained at the medical waste facility. These plans shall be made available for inspection by agency representatives or other interested parties. These documents shall be considered a part of the operating record for the facility. This operating record shall include the following:

- 1. All location-restriction demonstrations
- 2. All inspection and training records
- 3. Any closure plans, cost estimates and financial assurance documents
- 4. All correspondence related to the operation of the facility, registration modifications, approvals, technical assistance, documents, manifests, and any other documents as specified or requested
- 5. All documents, manifests and any other document(s) as specified by the approved authorization or by the executive director. Copy of manifests/shipping papers must be maintained for at least three (3) years.

For signatories to reports, the following conditions apply:

(A) The owner or operator shall sign all reports and other information requested by TCEQ as described in $\S305.128$ (relating to Signatories to Reports) and $\S305.44(a)$ (relating to Signatories to Applications) or by a duly authorized representative of the owner or operator. A person is a duly authorized representative only if:

(i) the authorization is made in writing by the owner or operator as described in §305.44(a);

(ii) the authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity or for environmental matters for the owner or operator, such as the position of plant manager, environmental manager, or a position of equivalent responsibility. A duly authorized representative may thus be either a named individual or any individual occupying a named position; and

(iii) the authorization is submitted to the TCEQ.

(B) If an authorization is no longer accurate because of a change in individuals or position, a new authorization satisfying the requirements must be submitted to TCEQ prior to, or together with, any reports, information, or applications to be signed by an authorized representative.

(C) Any person signing a report shall make the certification in $\S305.44$ (b).

The owner or operator shall retain all information contained within the operating record and the different plans required for the facility for the life of the facility. Any shipping documents that designate this facility as destination will result in one copy of each document being retained for the life of the facility. As no treatment occurs at this location, no statement of treatment applies.

• 30 TAC §326.75(f), Fire protection Plan

There is a comprehensive fire protection plan at the facility that addresses all the following:

- 1. There is always an adequate supply of water for firefighting purposes supplied under normal conditions by the water company.
- 2. Fire extinguishers that comply with all requirements are strategically placed to be readily available as needed.
- 3. All employees are trained in the fire protection program including contact information, training and safety procedures.
- 30 TAC §326.75(g), Access Control
- 30 TAC §326.75(g)(2), Access Roads, Vehicle Parking, and Safety Measures

Public access to this facility is restricted. Access is granted via a key card issued to authorized personnel. Visitors and others enter through the office door, and authorized access is granted after signing in and revealing the purpose of the visit.

The facility access is designed for the traffic flow via the two-lane asphalt road. Safe on-site access for all vehicles is provided, including adequate turning radius and does not disrupt normal traffic patterns. Parking is provided for equipment, employees, and visitors. All interior driving and parking surfaces are paved and or thick rock to minimize dust and mud.

A 6-foot perimeter fence topped with 3-stranded barbed wire surrounds the facility and includes lockable and monitored pedestrian and vehicle gates for access. Monitoring is conducted via closed circuit cameras with recording devices. The property is always occupied

during normal business hours.

• 30 TAC §326.75(h), Unloading of Waste

Waste is unloaded in a specific designated area. From there it is placed either into a refrigerated trailer. These areas are designed to be in as small an area as is practical as shown on the attached diagram. Unloading of waste in an area not otherwise authorized is prohibited. And prohibited wastes received, once identified, are returned to the generator of the waste in a timely manner or rejected to an alternative facility approved to accept such wastes.

• 30 TAC §326.75(i)(3), Recording of Applicable Alternative Hours (if used)

Operating hours are 24 hours per day 7 days a week to accommodate the needs of customers for after hours and weekend service. Additionally, waste may be unloaded or transferred to other locations at any time. Administrative office hours are Monday through Friday 8 am to 5 pm.

• 30 TAC §326.75(j), Signs at Facility Entrances

Signs measuring four feet by four feet with letters at least 3" high will be prominently displayed at the vehicle entrance locations. The signs will include the following information: facility name, type of facility, days and hours of operation, authorization number of the facility, and access rules.

• 30 TAC §326.75(k), Control of Windblown Material and Litter

The entire location is maintained in a clean, healthy, and safe manner, through in part controlling windblown material and litter being promptly collected and disposed of.

• 30 TAC §326.75(I), Facility Access Roads

As indicated previously, primary and secondary roads are asphalt base to prevent the tracking of mud and debris onto public roadways and for safety during wet weather. Since most of the entire property is paved and thick rock base, no specialized mobile equipment for dust control is necessary. Vehicle and personnel safety are of primary concern, so all interior roads are maintained to minimize depressions, ruts, and potholes.

• 30 TAC §326.75(m), Noise Pollution and Visual Screening

The only noise arising from the operation is that of vehicles entering or exiting the property. There is no equipment except for perhaps a forklift used in connection with this activity. Visual screening is maintained due to the location of the operation which is around behind the buildings or within them.

• 30 TAC §326.75(n), Overloading and Breakdown

Adding medical waste to the existing operation does not pose a risk to exceeding operational capability nor design capacity. As a transfer station all waste is promptly routed to other locations, so there is no risk of quantities remaining on the property. Clean Harbors has multiple other facilities to which waste can be shipped for processing, so there are primary and secondary options should the need arise.

Any work stoppage will result in diverting incoming waste to other permitted facilities. Having multiple options allows the facility to ensure that waste will not accumulate nor will waste be received without the operational ability to handle it. If work stoppage is anticipated to last long enough, existing affected regulated medical waste inventories will be immediately removed and shipped from the facility to an approved backup processing or disposal facility.

• 30 TAC §326.75(o), Sanitation

Sanitary facilities and potable water are available at all times for employees and visitors.

Waste is always in sealed containers and not removed. This facility is for the storage and transfer of regulated medical waste only (i.e., not a processing facility). Therefore, any working surfaces are cleaned as part of routine maintenance typically consisting of sweeping floors (i.e., the only working surfaces) to provide a safe and clean environment. Spill kits are maintained on premises and in the vehicles in the event waste is spilled and requires collection, containment and decontamination.

• 30 TAC §326.75(q), Health and Safety

As a transfer station there are no permitted air pollution abatement devices associated with this operation. The area is always well ventilated.

• 30 TAC 326.75(r), Disposal of Treated Medical Waste (if applicable)

As a transfer station this section is not applicable.

• 30 TAC §326.71(n); Financial Assurance

Financial Assurance is provided by insurance procured by the applicant. Financial assurance will be provided prior to the initial date of accepting waste.

• 30 TAC §326.71(I)(1); provide notice for final facility closure and information for the public and executive director no later than 90 days prior to initiating final closure.

The authorized facility will provide TCEQ notice for final facility closure and information for the public and executive director no later than 90 days prior to initiating final closure.

• 30 TAC §326.71(I)(3); provide certification of closure, and a request for voluntary revocation of facility registration within 10 days after completion of final closure of the facility.

Within 10 days after completion of final closure of the facility, the authorized facility will provide certification of closure, and a request for voluntary revocation of facility registration. Certification of final closure will be signed by an independent, Texas-licensed PE.

Appendix 5-1

Operation Plan and Spill Containment

Medical waste is typically picked up in local delivery trucks and delivered to the Facility. At the Facility, the containers will be offloaded into parked trailer. It will be stored until such time that a full truckload is sent to the destination facility or another permitted Transfer Station, or until such time that the waste can no longer be stored at the Facility to maintain compliance within the storage timeline limitations.

The waste will be delivered to the treatment facility within 7 days of being received by the generator in accordance with the Medical Waste Management Act requirements.

Although typically waste will be stored at the Robstown facility for 24 to 72 hours prior to being sent to the appropriate location for treatment. Typically, waste is shipped out for treatment twice weekly. In the event any non-conforming waste is received by the generator Safety-Kleen/Clean Harbors will contact the generator immediately so the unauthorized material can be returned to generator or other approved site on approval of generator for proper disposal.

Should a spill occur at this facility or elsewhere, our personnel are wellequipped and specifically trained to handle the containment and cleanup. Each company vehicle, as well as our-facility, is fully stocked with first aid supplies, personal protective equipment (gloves, face shield, respiratory protective equipment, Tychem/Tyvek coveralls, boot covers (banana boots), etc.), absorbent materials, biohazard bags, disinfectant, dust pans, brushes, shovels, broom, etc. All spills or discharges shall be reported to CDPH Medical Waste Management Program Promptly.

In the event of a spill the following measures will be taken:

- 1. Identification of the spill to determine appropriate response, including Emergency Notification Requirements, PPE, and Cleanup Equipment
- 2. If cleanup is indicated, alert proper parties, don appropriate PPE, stop the spill from spreading, cover the spill with absorbent if needed, spray the spill with a bleach solution or other EPA approved disinfectant, allow sufficient contact time for the disinfectant, clean up the material and repackage for appropriate shipment. Follow up with a report to supervisors and place the report in an incident log for viewing by CDPH personnel as needed.

Appendix 5-2

Health and Safety Plan

Applicable safety equipment includes the following:

Respirators available are 3M half-mask and full-face organic vapor respirators.

Each sales representative and facility employee who may involve in response to an emergency is issued a 1/2-face respirator. Numerous full-face respirators are also stored at the facility.

There are full-face shields available for all employees and safety glasses available for each employee at the facility. This equipment is stored in the emergency Response Kit in the warehouse.

A pair of steel-toed boots is assigned to each employee. Two pair of neoprene/steel-toed boots are available for employee use.

Coveralls made of Tyvek Neoprene aprons are also used as needed.

A pair of neoprene gloves is assigned to each employee and are replaced as necessary.

Electronic copies of all SDSs are kept on a database. Hard copy of Safety-Kleen products that are used daily by Customer Service Representatives (CSRs) are kept at the CSR room.

Other equipment available includes: mops, buckets, shovels, soap, portable pumps, wet/ dry vacuum, telephones, eye wash stations, first aid station, fire extinguisher, and safety showers.

Section 6—Applicant Certification and Signature

The applicant is the person or entity who would be the owner of the facility and in whose name the registration would be issued. If the application is signed by an authorized representative for the applicant, the applicant must complete the delegation of signature authority.

Certification by Applicant or Authorized Signatory [30 TAC §305.44]

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name of applicant, or other person authorized to sign: _____ Ricardo Saucedo

Title of person signing:Sr. Enviro	onmental Compliance Manager	
Signature: Leer St	≻ Date:	03/01/2024
Notarization		1
SUBSCRIBED AND SWORN to before	e me by the said Ricardo Sa	ucedo
On this 1st day of March	, 2024.	
My commission expires on the 214	t day of Thouchy , 2026.	DEVON BAILEY DOSTER \$
2 and and 2	Ð	& Notary Public, State of Texas &
Notary Public in and for		My Comm. Exp. 01-21-2026 & ID No. 13354704-5
Flexar	County Texas	800000000000000000000008

Applicant's Delegation of Signature Authority [30 TAC §305.43]

I hereby delegate the person named below as my representative and hereby authorize said representative to sign any application, submit additional information as may be requested by the Commission; and appear for me at any hearing or before the Commission in conjunction with this request for a Texas Water Code or Texas Solid Waste Disposal Act permit. I further understand that I am responsible for the contents of this application, for oral statements given by my authorized representative in support of the application, and for compliance with the terms and conditions of any permit which might be issued based upon this application.

Name of applicant's representative: N/A

4

Name of person who is the applicant, or officer or official representing corporation or public agency that is the applicant: N/A

Signature: <u>N/A</u>	Date: N/A	
Notarization		
SUBSCRIBED AND SWORN to be	efore me by the said <u>N/A</u>	
On this <u>N/A</u> day of <u>N/A</u>	, <u>N/A</u>	
My commission expires on the _ N/A	<u>N/A</u> day of <u>N/A</u> , <u>N/A</u> ,	
Notary Public in and for		
N/A	County, Texas	
TCEQ-20789, Application for a Medi	ical Waste Registration (Rev. 08-15-22)	Page 29
Revised 3/1/2024	Page 29 of 101	

(11/03/2023) (12/18/2023) Initial Application Submittal Date (MM/DD/YYYY) Revision (MM/DD/YYYY)

Section 7—Property Owner Affidavit

Affidavit [30 TAC §326.71(b)]

ï

This section must be completed by the owner of the property on which the facility would be located.

I am the owner of the land on which the proposed facility would be located. I acknowledge that the State of Texas may hold me either jointly or severally responsible for the operation, maintenance, and closure of the facility. I further acknowledge that the facility owner or operator and the State of Texas shall have access to the property during the active life and after closure for the purpose of inspection and maintenance.

Property owner pame: Greg Van Stechelman Date: Signature: Notarization Stechemor SUBSCRIBED AND SWORN to before me by the said _ Greasy On this 27 day of October ,2023. My commission expires on the 19 day of June 2077 tiolan SEAN KOLASZ Ran Notary Public - State of Florida Notary Public in and for Commission # HH 412405 My Comm. Expires Jun 19, 2027 Marates County, Florida

TCEO-20789, Application for a Medical Waste Registration (Rev. 08-15-22)

4

Attachments

Table Att-1.	Required Attachments
radio mit i.	Regancarmento


Attachments	Attachment No.
General Location Map	1
Facility Access Map	2
Facility Layout Map	2
Land Use Map	3
Land Ownership Map	4
Land Ownership List	5
Land Ownership Hard Copy and Electronic Mailing List or Mailing Labels	6
Metes and Bounds Drawing and Description	7
Copy of Authorization to Discharge Wastewater to a Treatment Facility	NA
Process Flow Diagrams and Narrative	8
Procedures for Operation and Testing of Treatment Equipment, if applicable	NA
Procedures for Preparation of any Chemical used in Treatment, if applicable	NA
Verification of Legal Status	9
Texas Department of Transportation Coordination Letters	16
Entity Exercising Maintenance Responsibility of Public Roadway, if applicable	NA
FEMA Мар	10
☐Facility Design Demonstration for Flood Management, or ☐ Conditional Letter of Map Amendment from FEMA, if applicable	NA
Wetland Documentation, if applicable	NA
Council of Governments Review Request Coordination Letters	11


Attachments	Attachment No.
TCEQ Core Data Form(s)	12
Fee Receipt or copy of check	13
Published Zoning Map	14
Delegation of Signatory Authority	15
Manufacturer Specifications for Waste Management Units	17
Additional Storage and Processing Unit Closure Cost Items	NA
Public Involvement Plan (PIP)	18

Table Att-2. Additional Attachments; check all that apply.


Attachment 1











LETTER	LANDOWNER NAME	ADDRESS	LAND USE
Α	Fox Tree & Landscape Nursery	5949 La Costa, Corpus Christi, TX 78414	AG - OPEN
В	Jorge Chen Lau	7795 SW 129 th , Miami, FL 33156	AG - OPEN
С	Safety-Kleen Systems	2203 Tower Road, Robstown, TX 78380	СОМ
D	Amerigas – Kenneth Gajdos	12805 Rush Creek Ln, Austin, TX 78732	СОМ
E	Andy McMullen	PO Box 706, Hamilton, TX 76531	СОМ
F	Too Tall Heavy Haul LLC	13834 Exchequer Dr, Corpus Christi, TX 78410	IND
G	National Oilwell DHT	7909 Parkwood Circle Dr, Houston, TX 77036	COM
Н	Lucy Haynes	3360 San Antonio St, Corpus Christi, TX 78411	AG – OPEN
I	TJ&SLP	1000 Fresco Dr, Alice, TX 78332	AG – OPEN
J	4746 Lepard LLC	4730 Lepard St, Corpus Christi, TX 78406	СОМ
К	Four Seasons Bus Park	5825 Sam Houston Pkwy, Houston, TX 77041	СОМ
L	John & Glenda Reed	3703 Perry Ln, Corpus Christi, TX 78410	СОМ
М	Crown Communication	4017 Washington Rd, McMurray, PA 15317	СОМ
Ν	Castle Tower Group	4017 Washington Rd, McMurray, PA 15217	СОМ
0	Alamo Concrete Product	PO Box 34807, San Antonio, TX 78265	IND
Р	Headwaters Group	PO Box 549, George West, TX 78022	COM
Q	Triangle Waste Properties	PO Box 940820, Houston, TX 77094	СОМ
R	GFL Texas Real Properties	PO Box 80615, Indianapolis, IN 46280	COM
S	Javier Ornelas	3722 Fort Worth St, Corpus Christi, TX 78411	COM
Т	Mark Lowke	2165 N US Hwy 77, Robstown, TX 78380	COM
U	Mary Gavin Blanche	PO Box 363, Bozeman, MT 59771	AG – OPEN
V	Miguel Gonzales	1534 Baur Rd, Robstown, TX 78380	AG - OPEN

<u>CleanHarbors</u>	FIGURE							
	ADJACENT LANDOWNERS ADDRESSESS ¼ Mile							
		Y-KLEEN SYSTEMS, OBSTOWN, TEXAS	INC					
Date: 12/10/2023	Checked by: Bill Caldwell	Scale: NONE	File: 156_RCRA_LAND					

FOX TREE AND LANDSCAPE NURSERY 5949 LA COSTA DR CORPUS CHRISTI, TX 78414

ANDY MCMULLEN PO BOX 706 HAMILTON, TX 76531

LUCY HAYNES 3360 SAN ANTONI ST CORPUS CHRISTI, TX 78411

FOUR SEASONS BUS PARK 5825 SAM HOUSTON PKWY HOUSTON, TX 77041

CASTLE TOWER GROUP 4017 WASHINGTON RD MCMURRAY, PA, 15317

TRAINGLE WASTE PROPERTIES PO BOX 940820 HOUSTON, TX 77094

MARK LOWKE 2165 N US HWY 77 ROBSTOWN, TX 78380 JORGE CHEN LAU 7795 SW 129TH ST MIAMI, FL 33156

TOO TALL HEAVY HAUL LLC 13834 EXCHEQUER DR CORPUS CHRISTI, TX 78410

TJ AND SLP 100 FRESCO DR ALICE, TX 78332

JOHN AND GLENDA REED 3703 PERRY LN CORPUS CHRISTI, TX 78406

ALAMO CONCRETE PRODUCT PO BOX 34807 SAN ANTONIO, TX 78265

GFL TEXAS REAL PROPERTIES PO BOX 80615 INDIANPOLIS, IN 46280

MARY GAVIN BLANCHE PO BOX 363 BOZEMAN, MT 59771 AMERIGAS KENNETH GAJDOS 12805 RUSH CREEK LN AUSTIN, TX 78732

NATIONAL OILWELL DHT 7909 PARKWOOD CIRCLE DR HOUSTON, TX 77036

4746 LEOPARD LLC 4730 LEOPARD ST CORPUS CHRISTI, TX 78406

CROWN COMMUNICATION 4017 WASHINGTON RD MCMURRAY, PA, 15317

HEADWATERS GROUP PO BOX 549 GEORGE WEST, TX 78022

JAVIER ORNELAS 3722 FORT WORTH ST CORPUS CHRISTI, TX 78411

MIGUEL GONZALEZ 1534 BAUR RD ROBSTOWN, TX 78380

1 TITLE DESCRIPTION	3 SCHE
TRACT 1 Lots Four (4) and Five (5), in Block One (1), of WILKINS ACREAGE TRACTS, a subdivision in the City of Robstown, Nueces County, Texas, according to the map or plat thereof recorded in Volume 44, Pages 48-49, of the Map Records of Nueces County, Texas.	NOTES CORRESPONDING TO SCHI The following restrictive covenants of record itemized to exception): <u>Volume 44, Pages 48 and 49</u> , of the Map Records of restriction, if any, based on race, color, religion, sex, har
TRACT 2 Lots Two (2) and Three (3), in Block Two (2), of WILKINS ACREAGE TRACTS, a subdivision in the City of Robstown, Nueces County, Texas, according to the map or plat thereof recorded in Volume 44, Pages 48-49, of the Map Records of Nueces	that the covenant, condition or restriction (a) is exempted but does not discriminate against handicapped persons. NON-SURVEY RELATED ITEM
County, Texas. THE LAND SHOWN IN THIS SURVEY IS THE SAME AS THAT DESCRIBED IN	 (10E) recorded in <u>Volume 268, Page 85</u>, of the Deed Records BLANKET IN NATURE, NOT SHOWN (10F) Pipeline easement granted by James H. Ewing and wife dated October 10, 1939, recorded in Volume 266, Page
TITLE REPORT PREPARED BY TITLE RESOURCES GUARANTY COMPANY, G.F. NO.: CLC2293440, EFFECTIVE DATE AUGUST 3, 2022, ISSUE DATE AUGUST 10, 2022	BLANKET IN NATURE, NOT SHOWN Right-of-Way easement granted by Guaranty National Cooperative Inc., by instrument dated August 25, 1962, 1
2 TITLE INFORMATION	An easement 10 foot wide easement along the rear of recorded in <u>Volume 44, Pages 48-49</u> , Map Records of
THE TITLE DESCRIPTION AND THE SCHEDULE B ITEMS HEREON ARE FROM A TITLE REPORT PREPARED BY TITLE RESOURCES GUARANTY COMPANY, G.F. NO.: CLC2293440, EFFECTIVE DATE AUGUST 3, 2022, ISSUE DATE AUGUST 10,	Lot 3, Blk. 2) DOES AFFECT, PLOTTED AS SHOWN A stated 25 foot building setback line across the front
2022.	 recorded in <u>Volume 44, Pages 48-49</u> of the Map Record DOES AFFECT, PLOTTED AS SHOWN A stated 25 foot building setback line on the West Line subject Lot, adjacent to Derrick Street, as shown on p
	A stated 25 foot building setback line across the front recorded in <u>Volume 44, Pages 48-49</u> of the Map Record DOES AFFECT, PLOTTED AS SHOWN
5 FLOOD INFORMATION	A stated 25 foot building setback line across the front li subject Lot, adjacent to Derrick Street, as shown on p Nueces County, Texas.
SUBJECT PARCEL IS WITHIN AN UNMAPPED AREA. GENERALLY THE REASON THE PANEL IS UNMAPPED IS BECAUSE THE ENTIRE AREA IS IN A NON-SPECIAL FLOOD HAZARD AREA SUCH AS ZONE "X".	DOES AFFECT, PLOTTED AS SHOWN Image: Display to the content of the
	NON-SURVEY RELATED ITEM Terms, conditions, and stipulations of that certain Agee Wilkins and wife Louise J. Wilkins, to Nueces County W 64357, Volume 1624, Page 393, of the Deed Records of
	NON-SURVEY RELATED ITEM 100- Terms, conditions, and stipulations of those certain Rig No. 3 to levy taxes and issue bonds as set out in the Im
6 CEMETERY	Volume 1485, Page 923, of the Deed Records of Nuece NON-SURVEY RELATED ITEM Image: transport of the Deed Records of Nuece Terms, conditions, and stipulations of that certain User Curtis Jenigan, Individually, and as Owner of C & M Amt
THERE WAS NO VISIBLE EVIDENCE OF CEMETERIES OR BURIAL GROUNDS OBSERVED AT THE TIME THIS SURVEY WAS PERFORMED.	David Wheeler Photo Service, Inc., and Glenn Black, Inc. <u>132726, Volume 576, Page 121</u> , of the Deed Records of DOES AFFECT, CONTAINS PROVISIONS FOR INS LOCATION OF AN EASEMENT NOTED IN DOCUMENT
7 POSSIBLE ENCROACHMENTS	8 ZONIN
A - SIGN IN RIGHT-OF-WAY 2.8' TO 5.5'	ACCORDING TO GENIE, WITH ZONING (PHONE: 361-387-4589 FOLLOWS WITH THE CORRESPO ZONE "D4" (FIRST ONE FAMILY OF
B — FENCE IS IN SUBJECT PROPERTY UP TO 0.6' C — FENCE IS IN RIGHT-OF-WAY UP TO 0.7'	ZONE "R1" (FIRST ONE-FAMILY F MIN. FRONT SETBACK = 30 MIN. SIDE SETBACK = 5 F MIN. REAR SETBACK = 20 MAX. HEIGHT = 1 TO 2 STO
	FLOOR SPACE AREA RATI MIN. LOT AREA = 7,500 SQ MIN. LOT DEPTH = N/A MIN. LOT WIDTH =60 FEET MAX. COVERAGE AREA =
	PARKING = N/A ALL SETBACK LINES PER THE A DEPICTED HEREON ARE ORIE FRONT OF THE PROPERTY FAC
8 ZONING INFORMATION	WITH THE SUBJECT PROPE INFORMATION SHOULD BE VE BEFORE USE. ZONING INFORMATION PROVIDE
ZONING INFORMATION NOT PROVIDED	COMMERCIAL DUE DILIGENCE S 3550 W. ROBINSON STREET, TH NORMAN, OK 73072 PH. 405-253-2444 JOB NO. 22-05-0067
	DATE: AUGUST 9, 2022
Approved CDS Surveyor ANTHONY RAY CROWLEY, R.P.L.S. 6484 CROWLEY SURVEYING FRN:10046500 CROWLEY	
4251 FM 2181, #230-484 CORINTH, TX 76210 (469) 850-CPLS(2757)	nmercial Due Diligence Services. This format and style is protected by Copyright, all rights are reserved. Any
Copyright@com	ministrial and style is protected by Copyright, all rights are reserved. Any

acrowley@crowleysurveying.com

Revised 3/1/2024

NKET IN NATURE, NOT SHOWN NKET IN NATURE, NOT SHOWN ords of Nueces County, Texas. (Blanket) NKET IN NATURE, NOT SHOWN 3, Blk. 2) S AFFECT, PLOTTED AS SHOWN ded in Volume 44, Pages 48-49 of the Map Records of Nueces County, Texas. AFFECT, PLOTTED AS SHOWN ces County, Texas. DOES AFFECT, PLOTTED AS SHOWN rded in Volume 44, Pages 48-49 of the Map Records of Nueces County, Texas. AFFECT, PLOTTED AS SHOWN ces County, Texas. AFFECT, PLOTTED AS SHOWN 61, Volume 998, Page 163, of the Deed Records of Nueces County, Texas. URVEY RELATED ITEM 7, Volume 1624, Page 393, of the Deed Records of Nueces County, Texas. •SURVEY RELATED ITEM me 1485, Page 923, of the Deed Records of Nueces County Texas. URVEY RELATED ITEM

This survey coordinated, but not performed, by Commercial Due Diligence Services. Survey obtained from and certified to by a land surveyor licensed in the state property is located.

, conditions, and stipulations of that certain User and Easement Agreement dated April 16, 1979, by and between Jenigan, Individually, and as Owner of C & M Ambulance and Wrecker Service, David Wheeler, Individually and d/b/a Wheeler Photo Service, Inc., and Glenn Black, Individually and d/b/a Black's Radio Service, recorded under File No. 26, Volume 576, Page 121, of the Deed Records of Nueces County, Texas. AFFECT, CONTAINS PROVISIONS FOR INSTALLATION OF A RADIO TOWER ON LOT 4, BLOCK 1, NO ATION OF AN EASEMENT NOTED IN DOCUMENT, NOT SHOWN



SURVEYOR'S NOTES

SCHEDULE "B" ITEMS

- TES CORRESPONDING TO SCHEDULE "B" SECTION TWO EXCEPTIONS:
- ollowing restrictive covenants of record itemized below (We must either insert specific recording data or delete this me 44, Pages 48 and 49, of the Map Records of Nueces County, Texas, but omitting any covenant, conditionor ction, if any, based on race, color, religion, sex, handicap, familial status or national origin unless andonly to the extent the covenant, condition or restriction (a) is exempt under Title 42 of the United StatesCode, or (b) relates to handicap,
- ine easement ganted by James H. EwLing to Southern Pipe Line Corporation by instrument dated May 24, 1940, rded in Volume 268, Page 85, of the Deed Records of Nueces County, Texas. (Blanket)
- ine easement granted by James H. Ewing and wife, Ethel M. Ewing to Southern Pipe Line Corporation by instrument d October 10, 1939, recorded in Volume 266, Page 506, of the Deed Records of Nueces County, Texas. (Blanket)
- t-of-Way easement granted by Guaranty National Bank & Trust of Corpus Christi, Trustee, to South Texas Electric perative Inc., by instrument dated August 25, 1962, recorded in File No. 624634, Volume 1000, Page 436, of the Deed
- asement 10 foot wide easement along the rear of the subject property for the use ofpublic utilities, as shown by plat rded in Volume 44, Pages 48-49, Map Records of Nueces County, Texas. (Covers Lot 4, Blk.1, Lot Lot 2, Blk. 2, and
- ated 25 foot building setback line across the front line of Lot 4, Blk. 1, adjacent to Tower Street, as shown on plat
- ated 25 foot building setback line on the West Line of Lot 5, Bllk. 1, adjacent to Tower Street, and the North line of ect Lot, adjacent to Derrick Street, as shown on plat recorded in Volume 44, Pages 48-49, of the Map Records of
- ated 25 foot building setback line across the front line of Lot 2, Blk. 2, adjacent to Tower Street, as shown on plat
- ated 25 foot building setback line across the front line of Lot 3, Blk. 2, adjacent to Tower Street, and the North line of ect Lot, adjacent to Derrick Street, as shown on plat recorded in Volume 44, Pages 48-49, of the Map Records of
- , conditions, and stipulations of that certain Agreement and Quitclaim of Water Rights dated May 29, 1962, from anty Trust Company to Nueces County Water Control and Improvement District No. 3, recorded under File No.
- , conditions, and stipulations of that certain Ageement and Quitclaim of Water Rights dated May 4, 1977, by Virgil ns and wife Louise J. Wilkins, to Nueces County Water Control and Improvement District #3, recorded under File No.
- , conditions, and stipulations of those certain Rights of the Nueces County Water Control and Improvement District B to levy taxes and issue bonds as set out in the Information Form filed by the District under Clerk's File No. 936258,


ZONING INFORMATION

ACCORDING TO GENIE. WITH THE CITY OF ROBSTOWN, PLANNING AND ZONING (PHONE: 361-387-4589). THE SUBJECT PROPERTY IS ZONED AS FOLLOWS WITH THE CORRESPONDING STANDARDS:

ZONE "R1" (FIRST ONE-FAMILY RESIDENTIAL ZONE) MIN. FRONT SETBACK = 30 FEET

- MIN. REAR SETBACK = 20 FEET
- MIN. LOT AREA = 7,500 SQ. FT. MIN. LOT DEPTH = N/A
- ALL SETBACK LINES PER THE ABOVE ZONING STANDARDS GRAPHICALLY DEPICTED HEREON ARE ORIENTED WITH THE ASSUMPTION THAT THE FRONT OF THE PROPERTY FACES THE ROAD THAT THE CORRESPONDS WITH THE SUBJECT PROPERTY STREET ADDRESS. ALL ZONING INFORMATION SHOULD BE VERIFIED WITH THE CITY OF ROBSTOWN
- ZONING INFORMATION PROVIDED BY

- This survey is based on information shown on a title report prepared by Title Resources Guaranty Company, G.F. No CLC2293440, effective date August 3, 2022, issue date August 10, 2022 and all Schedule B exceptions in said title report have been addressed. The surveyor did not abstract this property and has relied on said title report for all matters of record. Subject tract has direct driveway access to Tower Street and Derrick Street. 3. There is no observable evidence of earth moving work, or building construction.
- 4. No observable evidence of any changes in street right-of-ways or recent street or sidewalk construction or repair.
- 5. All statements within the certification, and other references located elsewhere hereon, related to utilities, improvements, structures, buildings, party walls, easements, servitudes, foundations and encroachments are based solely on above ground, visible evidence, unless another source of information is specifically referenced hereon.
- 6. All iron rebars set are 1/2" with a plastic cap stamped "RPLS 6484".
- 7. This survey does not provide a determination or opinion concerning the location or existence of wetlands, faultlines, toxic
- or hazardous waste areas, subsidence, subsurface and environmental conditions or geological issues. No statement is made concerning the suitability of the subject tract for any intended use, purpose or development.
- 8. The point of height measurement is identified on the survey and was taken from the nearest adjacent grade at said point. This point represents the height of the structure as observed from ground level.
- 9. The dimensions and area of the building shown are based on the building's exterior footprint at ground level. 10. The surveyor did not observe any equipment or action associated with the process of drilling for oil, gas or any other
- hydrocarbons on this survey. 11. No underground utilities have been located and/or shown on this survey. Only visible and apparent above ground utility appurtenances are shown.
- 12. All Reciprocal Easement Agreements ("REAs") that have been reported by the title report provided have been denoted on the survey and are shown hereon. The limits of any offsite appurtenant easements that have been reported by the title report
- provided have been denoted on the survey and are shown hereon. 13. Unless shown otherwise the surveyed boundary shown hereon are contiguous with adjoining properties and/or rights of
- way without any gaps, gores or overlaps. 14. Unless shown otherwise, no visible evidence of substantial areas of refuse were observed at the time the fieldwork was
- performed.
- 15. This topographic map and the survey upon which it is based have been prepared and performed in accordance with the United States National Map Accuracy Standards for vertical accuracy.
- 16. The underground utilities shown have been located from field survey information and existing drawings. The surveyor makes no guarantee that the underground utilities shown comprise all such utilities in the area, either in service or abandoned. The surveyor further does not warrant that the underground utilities shown are in the exact location indicated although he does certify that they are located as accurately as possible from the information available. This surveyor has not physically located the underground utilities. All underground utilities should be field verified by the contractor prior to commencing any onsite work.
- 17. Information for the underground utilities was provided by GPRS.



- MIN. SIDE SETBACK = 5 FEET MAX. HEIGHT = 1 TO 2 STORIES FLOOR SPACE AREA RATIO =
- MIN. LOT WIDTH =60 FEET AVERAGE MAX. COVERAGE AREA = N/A


use of this format and style is strictly prohibited without prior written permission from Commercial Due Diligence Services.

This survey coordinated, but not performed, by Commercial Due Diligence Services. Survey obtained from and certified to by a land surveyor licensed in the state property is located.

- COMMERCIAL DUE DILIGENCE SERVICES 3550 W. ROBINSON STREET, THIRD FLOOR




This survey coordinated, but not performed, by Commercial Due Diligence Services. Survey obtained from and certified to by a land surveyor licensed in the state property is located.



BASIS OF BEARINGS

Bearings and distances are based on U.S. State Plane NAD 1983 Coordinates, Texas South Zone (4205). Elecations are based on North American Vertical Datum (NAD88) Orthometric Heights (GEOID 12B)




Clean Harbors Environmental Services, Inc., Robstown, TX Regulated Medical Waste (MW) Storage Areas and Flowpaths

Inbound RMW Shipments

- 1) All incoming trucks delivering MW enter the secure facility at Gate 1 and proceed to Transfer Refrigerated Trailer. Alternate entry routes are at Gates 2.
- 2) Unrefrigerated MW is unloaded at the Refrigerated Transfer Trailer. Containers of MW are not opened while in storage onsite prior to transfer offsite.
- 3) MW arriving refrigerated and/or unrefrigerated MW will be in the refrigerated transfer trailer.
- 4) MW placed in a refrigeration transfer trailer are stored onsite prior to transfer offsite no longer than 30-days.

Outbound Shipments

- 1) Outbound trucks providing a refrigerated transfer trailer change out will stage the transfer trailer in the designated contained docking location and this change out will occur no longer than 30 days of the MW start date.
- 2) Outbound trucks of refrigerated MW are loaded/stored for offsite transfer at designated transfer trailer contained docking location.
- 3) All outbound trucks of MW exit the facility via Gate 1. Alternate exit routes are at Gates 2.



A	NEW ISSUE
ND.	DESCRIPTION
	REVIS

EXIT GATE 1 OR ALTERNATE GATE 2

GENERAL NOTES

PROPRIETARY STATEMENT

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF SAFETY-KLEEN SYSTEMS, INC. AND IS PROPRIETARY AND CONFIDENTIAL INFORMATION. THIS DRAWING AND THE INFORMATION CONTINUES THEREIN WIST NOT BE DUPLICATED, USED, DIVULGED, REPRODUCED, COPIED, DISCLOSED OR APROPRIATED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAT AS EXPRESSLY AUTHORIZED BY SAFETY-KLEEN SYSTEMS, INC. THIS DRAWING MUST BE RETURNED PROMPTLY UPON REQUEST.

MEDICAL WASTE MATERIAL HANDLING PROCESS FLOW DIAGRAM			
SAFETY-KLEEN SYSTEMS, IN 42 LONGWATER DR. NORWELL, MA. 02061 PHONE 800-669-5740	IC.		
JEK JZ JZ 022924 SCALE BY CHKD P.E. APPR DA 1/8" = 1'-0" JEK JZ JZ JZ JZ 2/	TE /29/24		
BY CHK APPR DATE BRANCH STANDARD STD-DWG-REV NO	D.		
ISIEINS STANDARD BSD 119	BSD 119		

Corporations Section P.O.Box 13697 Austin, Texas 78711-3697



Jane Nelson Secretary of State

Office of the Secretary of State

Certificate of Fact

The undersigned, as Secretary of State of Texas, does hereby certify that the document, Application for Certificate of Authority for SAFETY-KLEEN SYSTEMS, INC. (file number 2930806), a WISCONSIN, USA, Foreign For-Profit Corporation, was filed in this office on August 18, 1969.

It is further certified that the entity status in Texas is in existence.

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 29, 2023.



one-Kleb

Jane Nelson Secretary of State

Revised 3/1/2024

Phone: (512) 463-5555 Prepared by: SOS-WEB Come visit us on the internet at https://www.sos.texas.gov/ Fa) 463-5709 TID: 10264 Page 53 of 101

Dial: 7-1-1 for Relay Services Document: 1290165680005 Corporations Section P.O.Box 13697 Austin, Texas 78711-3697



Office of the Secretary of State

Certificate of Fact

The undersigned, as Secretary of State of Texas, does hereby certify that the document, Application For Certificate Of Authority for CLEAN HARBORS ENVIRONMENTAL SERVICES, INC. (file number 10068906), a MASSACHUSETTS, USA, Foreign For-Profit Corporation, was filed in this office on June 27, 1994.

It is further certified that the entity status in Texas is in existence.

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 29, 2023.



pre-Alber

Jane Nelson Secretary of State

Revised 3/1/2024

Come visit us on the internet at https://www.sos.texas.gov/ Fa) 463-5709 TID: 10264 Page 54 of 101

Phone: (512) 463-5555 Prepared by: SOS-WEB Dial: 7-1-1 for Relay Services Document: 1290165680005

NOTES TO USERS

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The **community map repository** should be consulted for possible updated or additional flood hazard information.

To obtain more detailed information in areas where **Base Flood Elevations** (BFEs) and/or **floodways** have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Coastal Base Flood Elevations shown on this map apply only landward of 0.0' North American Vertical Datum of 1988 (NAVD 88). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood Insurance Study Report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction, and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by **flood control structures**. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures in this jurisdiction.

The **projection** used in the preparation of this map was Texas State Plane, South Zone (FIPS 4205). The **horizontal datum** was NAD83, GRS80 spheroid. Differences in datum, spheroid, projection or State Plane zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FIRM.

Flood elevations on this map are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same **vertical datum**. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at http://www.ngs.noaa.gov or contact the National Geodetic Survey at the following address:

NGS Information Services NOAA, N/NGS12 National Geodetic Survey, SSMC-3, #9202 1315 East-West Highway Silver Spring, Maryland 20910-3282 (301) 713-3242

To obtain current elevation, description, and/or location information for **bench marks** shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242, or visit their website at <u>http://www.ngs.noaa.gov/.</u>

Base map information shown on this FIRM was derived from multiple sources. This information was compiled from the National Geodetic Survey, 2004, U.S. Census Bureau, 2010, U.S. Geological Survey, 1989 and 2004, National Agriculture Imagery Program (NAIP), 2014, Texas Natural Resources Information System (TNRIS), 1995 and 2010.


This map reflects more detailed and up-to-date **stream channel configurations** than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

For information on available products associated with this FIRM visit the **FEMA Map Service Center** (MSC) website at http://msc.fema.gov. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from the MSC website.

If you have **questions about this map**, how to order products or the National Flood Insurance Program in general, please call the **FEMA Map Information eXchange (FMIX)** at **1-877-FEMA-MAP** (1-877-336-2627) or visit the FEMA website at http://www.fema.gov/national-flood-insurance-program





Sent via Fed Ex

October 31,2023

Mr. John P Buckner Executive Director Coastal Bend Council of Governments 2910 Leopard Street Corpus Christi, TX 78408

Re: Requested Review of TCEQ Application for Safety-Kleen Systems, Inc. / Clean Harbors Environmental Services, Inc.

Dear Mr. Buckner:

Safety-Kleen Systems, Inc. / Clean Harbors Environmental Services, Inc. is applying for a Medical Waste Transfer Facility Registration from TCEQ to allow for the storage and transfer of medical waste at our existing operation in Robstown. This incremental use does not change or alter our core business but is in response to customer requests to provide this additional service. The application is enclosed for your review.

The TCEQ application requires us to submit a request for review to the applicable council of governments for area where the facility is located. This request to you will provide documentation to TCEQ that we are complying with that provision of the application.

Please contact me if you have any questions or comments concerning this matter at gvanstechelman@safety-kleen.com or (941) 201-8176.

Sincerely,

Greg Van Stechelman Sr. Environmental Compliance Director Safety-Kleen Systems, Inc. – A Clean Harbors Company

Encl.

cc: TCEQ Medical Waste Transfer Facility Application



For detailed instructions regarding completion of this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

		ion (<i>If other is</i>			,			,					
New Per	mit, Regist	ration or Autho	rization (Core	Data Fc	orm shou	uld be	e subm	nitted v	<i>with th</i>	he program applicatio	n.)		
Renewal	(Core Dat	a Form should	be submitted v	vith the	renewa	l form)	Other MedWaste Transfer Registration					
2. Customer	Reference	e Number <i>(if is</i>	sued)	Follow					egula	ated Entity Reference	e Number <i>(i</i>	f issued)	
CN 60032	2796			for CN or RN numbers in Central Registry**				RI	11	1655866			
SECTION	II: Cus	stomer Inf	ormation										
4. General Cu	istomer In	formation	5. Effective	e Date f	for Cust	tomer	- Infor	matio	n Up	dates (mm/dd/yyyy)			
	New Customer Image: In Legal Name (Verifiable with the Texas Secretary of State or Texas Comptroller of Public Accounts)												
		e submitteo State (SOS)	5	'				2		ed on what is cu ts (CPA).	rrent and	active with the	
6. Customer	Legal Nam	ne (If an individu	al, print last narr	ne first: e	g: Doe, .	John)			lf new	/ Customer, enter prev	ious Custome	er below:	
Clean Harl	oors Env	vironmental	Services I	nc									
7. TX SOS/CF 001006890	0	lumber	8. TX State		ax ID (11 digits) 991			9. Federal Tax ID (9 digits) 396090019			10. DUNS 539765	S Number (if applicable) 551	
11. Type of C	ustomer:	Corpora	tion			ndivid	ual			Partnership: 🗖 Gener	ral 🗖 Limited		
		ounty 🔲 Federal	🗌 State 🔲 Othe	r		Sole F	roprie	torshi		Other:			
12. Number o		ees	251-500		501 and	d high	ier			ndependently Owned es X No	l and Opera	ted?	
14. Customer	Role (Pro	posed or Actual)	– as it relates to	the Reg	gulated E	Entity I	isted or	n this f	orm. F	Please check one of the	following		
Owner Occupation	nal License	e 🗌 Resp	ator onsible Party				opera y Clea		pplica	ant Other:			
	2203 T	ower Road											
15. Mailing Address:								-					
	City	Robstown		S	itate	ΤX		ZIP	78	8380	ZIP + 4		
16. Country N	Nailing Info	ormation (if out	side USA)				17. E	E-Mail	Addı	ress (if applicable)			
							sco	tt.vii	ncen	nt@safety-kleen.			
18. Telephone	e Number			19. Ex	xtensio	n or (Code			20. Fax Numbe	er (if applicat	nle)	
(361) 44	5-8670									()	-		

SECTION III: Regulated Entity Information

21. General Regulated Entity Information (If 'New Regulated Entity" is selected below this form should be accompanied by a permit application)
New Regulated Entity Update to Regulated Entity Name 🛛 Update to Regulated Entity Information
The Regulated Entity Name submitted may be updated in order to meet TCEQ Agency Data Standards (removal of organizational endings such as Inc, LP, or LLC).
22. Regulated Entity Name (Enter name of the site where the regulated action is taking place.)
Safety-Kleen Systems

23. Street Address of	2203 To	ower Road								
the Regulated Entity:		1	-							
(No PO Boxes)	City	Robstown	State	TX	ZIP	78380	ZIP	+ 4		
24. County							_			
	E	Enter Physical Loo	cation Descrip	tion if no st	reet addre	ss is provided.				
25. Description to Physical Location:										
26. Nearest City						State		Neares	t ZIP Code	
Robstown			-		TX		78380	0		
27. Latitude (N) In Decimal:				28.	Longitude	(W) In Decima	b			
Degrees	Minutes	Se	econds	Degr	ees	Minute	s	Se	econds	
27		81.4	18		097		64.8		11	
29. Primary SIC Code (4	digits) 30	. Secondary SIC C	Code (4 digits)	31. Prima (5 or 6 digi	ary NAICS		32. Secondary NAICS Code (5 or 6 digits)			
4953	4953 4953			562112			562112			
33. What is the Primary			Do not repeat the S							
Recovery/reclaim/t	ransfer s	pent solvents	& used oil/1	filters; con	mmercia	l TSDF; me	edical was	te tran	sfer	
a subsection of the	Safety-Kleen Systems									
34. Mailing				2203 Tower Road						
Address:	City	Robstown	State	ТХ	TX ZIP		ZIF	+4		
35. E-Mail Address	:			scott.vind	cent@safet	y-kleen.com				
36. Teleph	one Numbe	ər	37. Extens	sion or Code	•	38. Fa:	x Number (if	f applica	ble)	
(361) 4	45-8670						() -	2		
9. TCEQ Programs and II rm. See the Core Data Form				permits/registr	ation numbe	ers that will be affe	ected by the up	pdates su	bmitted on this	
Dam Safety	Distric	cts	Edwards Aquifer		Emis	ssions Inventory A	Air 🗌 Ind	Industrial Hazardous Was		
Municipal Solid Waste	New S	Source Review Air			Petro	oleum Storage Ta	ank PV	D PWS		
New MedWaste Regist										
Sludge	Storm Water		Title V Air		Tires	3	Us	sed Oil		
Voluntary Cleanup	U Waste	e Water	Wastewate	r Agriculture	re 🔲 Water Rights			ther:		

40. Name: Greg Van Stechelman		41. Title:	Sr. Environmental Compliance
42. Telephone Number 43. Ext./Code	44. Fax Number	45. E-Mail	Address
(941)201-8176	() -	gvanste	chelman@safety-kleen.com

SECTION V: Authorized Signature

46. By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signature authority to submit this form on behalf of the entity specified in Section II, Field 6 and/or as required for the updates to the ID numbers identified in field 39.

Company:	Safety-Kleen Systems, Inc	Job Title:	Sr. Environmental Compliance Director				
Name (In Print):	Greg Van Stechelman	///	Phone:	(941) 201- 8176			
Signature:	KIMA	The	Date:	10/31/2023			



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

Reason for Submission (If other is checked pleas New Permit, Registration or Authorization (Core I		the program application.)		
Renewal (Core Data Form should be submitted w	ith the renewal form)	Other MedWaste Transfer Registration		
2. Customer Reference Number (if issued)	Follow this link to search	3. Regulated Entity Reference Number (if issued)		
CN 600128128	for CN or RN numbers in Central Registry**	RN 111655866		

SECTION II: Customer Information

4. General Cu	stomer Info	rmation	5. Effective I	Date for Cu	stome	mer Information Updates (mm/dd/yyyy)						
New Custon		erifiable with the T	Update to Custon exas Secretary of					Regulated En ounts)	ntity Ownersh	ip		
		mitted here may er of Public Acco		tomatical	ly base	d on what is	currei	nt and activ	e with the T	exas Secr	etary of State	
6. Customer L	egal Name.	(If an individual, p	rint last name firs	t: eg: Doe, J	ohn)		<u>lf n</u>	new Customer,	; enter previo	us Custom	er below:	
Safety-Kleen Sy	stems, Inc.											
7. TX SOS/CP/ 0002930806	8. TX State 1 13960900102	t e Tax ID (11 digits) 102				9. Federal Tax ID (9 digits) 39-6090019		10. DUNS Number (<i>if applicable</i>) 05-397-6551				
11. Type of C	ustomer:	Corpor	ration			🗌 Indiv	idual		Partnersh	ip: 🗌 Gen	eral 🗌 Limited	
Government:	City Co	unty 🗌 Federal [🛛 Local 🔲 State	Other		Sole Proprietorship Other:			6			
12. Number o			1-500 🛛 501 :	and higher				3. Independe] Yes	ently Owned	d and Ope	erated?	
14. Customer	Role (Propo	osed or Actual) – a	s it relates to the	Regulated E	ntity list	ed on this form	. Pleas	se check one o	of the followir	ng		
⊠Owner □Occupationa	al Licensee	Operator Responsible I		ner & Opera /CP/BSA App				🗌 Other	r:			
15. Mailing	5243 Sincl	ir Road										
Address:	City	San Antonio		State	TX	ZIP	78	3222	z	IP + 4		
16. Country I	Mailing Info	rmation (if outsid	de USA)	1	1	17. E-Mail Address (if applicable)						
						ricardo.sauc	edo@s	safety-kleen.c	om			
18. Telephon	e Number		1	9. Extensi	on or C	Code		20. Fax	Number (if	applicable)		

(210) 241-2619

	ntity informa	ation (If 'New Regul	ated Entity" is selec	ted, a new p	ermit applicat	ion is also required	.)	
New Regulated Entity	Update to Regulated Entity Name 🛛 Update to Regulated Entity Information							
The Regulated Entity Na as Inc, LP, or LLC).	me submitte	d may be update	d, in order to mee	et TCEQ Cor	re Data Stan	dards (removal d	of organization	aal endings sud
2. Regulated Entity Na	me (Enter nam	ne of the site where	the regulated action	n is taking pla	ace.)			
Safety-Kleen Systems								
23. Street Address of he Regulated Entity:	2203 Towe	r Road, Suite A						
(No PO Boxes)	City	Robstown	State	TX	ZIP	78380	ZIP + 4	
24. County	Nueces							
	_	If no Street	Address is provi	ded, fields	25-28 are re	quired.		
25. Description to Physical Location:								
26. Nearest City State Nea					arest ZIP Code			
Robstown						ТХ	783	80
						the second second second second		
					Data Stando	ards. (Geocoding	of the Physica	l Address may
used to supply coording	ates where n			accuracy).		ards. (Geocoding W) In Decimal:	of the Physica	l Address may
used to supply coording 27. Latitude (N) In Deci	ates where n	one have been pro		accuracy).	Longitude (\		of the Physica	I Address may Seconds
used to supply coording 27. Latitude (N) In Deci	ntes where ne	one have been pro	ovided or to gain	accuracy).	Longitude (\	W) In Decimal:	of the Physica	
used to supply coordina 27. Latitude (N) In Deci Degrees 27 29. Primary SIC Code	mal: Minutes	one have been pro	Seconds 418	accuracy). 28. Degr	Longitude (N rees 097 ary NAICS Co	W) In Decimal: Minutes ode 32.		Seconds 8111
used to supply coordina 27. Latitude (N) In Deci Degrees 27 29. Primary SIC Code	mal: Minutes 30 (4	81 0. Secondary SIC C	Seconds 418	accuracy). 28. Degr 31. Prima	Longitude (N rees 097 ary NAICS Co	W) In Decimal: Minutes ode 32.	64 Secondary NA r 6 digits)	Seconds 8111
27. Latitude (N) In Deci Degrees 27. 29. Primary SIC Code (4 digits) 4953	mal: Minutes 30 (4 49	81 0. Secondary SIC C digits)	Seconds 418	accuracy). 28. Degr 31. Prima (5 or 6 dig 562112	Longitude (N rees 097 ary NAICS Co gits)	W) In Decimal: Minutes ode 32. (5 o	64 Secondary NA r 6 digits)	Seconds 8111
used to supply coordina 27. Latitude (N) In Decir Degrees 27 29. Primary SIC Code (4 digits) 4953	Minutes Minutes 30 (4 y Business of	81 0. Secondary SIC C digits)	Seconds 418 ode	accuracy). 28. Degr 31. Prima (5 or 6 dig 562112	Longitude (N rees 097 ary NAICS Co gits)	W) In Decimal: Minutes ode 32. (5 o	64 Secondary NA r 6 digits)	Seconds 8111
used to supply coordina 27. Latitude (N) In Deci Degrees 27 29. Primary SIC Code (4 digits) 4953 33. What is the Primary Recycling Used Oil/Used O	Minutes Minutes 30 (4 9 9 Business of	81 0. Secondary SIC C digits)	Seconds 418 ode	accuracy). 28. Degr 31. Prima (5 or 6 dig 562112	Longitude (N rees 097 ary NAICS Co gits)	W) In Decimal: Minutes ode 32. (5 o	64 Secondary NA r 6 digits)	Seconds 8111
 29. Primary SIC Code (4 digits) 4953 33. What is the Primary 	Minutes Minutes 30 (4 y Business of bil Filters Safety-Ki	one have been provide the second provide the second provide the second provided the second prov	Seconds 418 ode	accuracy). 28. Degr 31. Prima (5 or 6 dig 562112	Longitude (N rees 097 ary NAICS Co gits)	W) In Decimal: Minutes ode 32. (5 o	64 Secondary NA r 6 digits)	Seconds 8111

() -

35. E-Mail Address:	ricardo.saucedo@safety-kleen.com	edo@safety-kleen.com				
36. Telephone Number	37. Extension or Code	38. Fax Number (if applicable)				
(210) 241-2619		() -				

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form. See the Core Data Form instructions for additional guidance.

Dam Safety	Districts	Edwards Aquifer	Emissions Inventory Air	Industrial Hazardous Waste
				98412
🛛 Municipal Solid Waste	New Source Review Air		Petroleum Storage Tank	D PWS
Sludge	Storm Water	Title V Air	Tires	Used Oil
Voluntary Cleanup	TXRNECC19	Wastewater Agriculture	Water Rights	Other:

SECTION IV: Preparer Information

40. Name:	Greg Van Ste	echelman		41. Title:	Sr. Environmental Compliance Dir.
42. Telephone Number 43.		43. Ext./Code	44. Fax Number	45. E-Mail Address	
(941) 201-8176		() -	gvansteche	lman@safety-kleen.com	

SECTION V: Authorized Signature

46. By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signature authority to submit this form on behalf of the entity specified in Section II, Field 6 and/or as required for the updates to the ID numbers identified in field 39.

Company:	Safety-Kleen Systems, Inc.	Sr.Environmental Complaince Director			
Name (In Print):	Ricardo Saucedo	Phone:	(210) 241- 2619		
Signature:	The Sto		Date:	12 15 2023	

Vanstechelman, Greg

From: Sent: To: Subject: steers@tceq.texas.gov Wednesday, October 25, 2023 1:58 PM Vanstechelman, Greg TCEQ ePay Receipt for 582EA000573731

This Message Is From an External Sender

This message came from outside your organization.

Report Suspicious

This is an automated message from the TCEQ ePay system. Please do not reply. Trace Number: 582EA000573731 Date: 10/25/2023 12:58 PM Payment Method: CC - Authorization 0000067953 TCEQ Amount: \$150.00 Texas.gov Price: \$153.63*

* This service is provided by Texas.gov, the official website of Texas. The price of this service includes funds that support the ongoing operations and enhancements of Texas.gov, which is provided by a third party in partnership with the State.

Actor: GREG VAN STECHELMAN Email: gvanstechelman@safety-kleen.com


Payment Contact: GREG VAN STECHELMAN Phone: 941-201-8176 Company: CLEAN HARBORS SAFETY-KLEEN SYSTEMS Address: 42 LONGWATER DRIVE, NORWELL, MA 02061

Fees Paid: Fee Description AR Number Amount MSW PERMIT/REGISTRATION/AMEND/MOD/TEMP AUTHORIZATIONS APPLICATION FEE \$100.00 30 TAC 305.53B MWP NOTIFICATION FEE \$50.00

TCEQ Amount: \$150.00

========

Voucher: 666895 Trace Number: 582EA000573731 Date: 10/25/2023 12:58 PM Payment Method: CC - Authorization 0000067953 Voucher Amount: \$100.00 Fee Paid: MSW PERMIT/REGISTRATION/AMEND/MOD/TEMP AUTHORIZATIONS APPLICATION FEE RN Number: RN111655866 Site Name: SAFETY-KLEEN SYSTEMS Site Address: 2203 TOWER ROAD, ROBSTOWN, TX 78380 Site Location: ROBSTOWN TX CN Number: CN600128128 Customer Name: SAFETY-KLEEN SYSTEMS INC Customer Address: 5243 SINCLAIR RD, SAN ANTONIO, TX 78222





Planning and Zoning Department

Robstown Zoning Map 2023

Legend

Robstown Zoning Areas

- **B1- Neighborhood Business District**
- **B2- Secondary Highway Business District**
- **B3- Central Business District**
- I- Industrial District
- **R1- First One Family Dwelling District**
- **R2- Second One Family Dwelling District**
- **R3- Duplex & Apartment District**
- **SP- Special Permit**


Robstown City Limits


This product is for informational purposes only and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. It does not represent an on-the-ground survey and represents only the approximate relative location of property boundaries.

Robstown Zoning Map Legend 2023

Planning and Zoning Department







You have not previously corresponded with this sender.

Report Suspicious

1 I 1147

The current zoning classification for the subject property is "Industrial" attached is a copy of the zoning map. Hope this helps.

Ginny Perez

Quality Control Dept. City of Robstown 101 East Main Ave Robstown, TX 78380 Phone: 361.387-4589 opt. 3 ext. 134 gperez@cityofrobstown.com QC_HUB@cityofrobstown.com Visit us at: www.cityofrobstown.com

The information transmitted hereby, including attachments, is intended exclusively for the individual or entity to which it is addressed and may contain confidential or privileged information. All use of this information by anyone other than the intended recipient, including, but not limited to dissemination, disclosure, printing or copying, is prohibited. If you receive this communication in error, please contact the sender immediately and delete the communication and attachments from your computers and systems. ATTENTION PUBLIC OFFICIALS!

T

A "Reply to All" of this email could lead to violations of the Texas Open Meetings Act. Please reply only to sender.

City of Robstown Zoning Map Verification Email 2023

Planning and Zoning Department

Attachment 15

From: Connors, William F
Sent: Friday, November 21, 2014 8:48 AM
To: NIELSEN, DAVID B; Childress, James C; Crisenbery, Michael; Dobias, Ken; Duffie, Chip; KUHN, JOHN SCOTT; Longshore, Everette Lindler; Parker, Michael E; Ross, Billy; SOLTYS, JEAN MARIE; Wagner, Frank
Cc: McDonald, Michael R; Murphy-Rodgers, Monica A
Subject: Compliance

Compliance VPs and Directors:

The resolution below was approved for all of the Clean Harbors, Inc. subsidiaries. All of the resolutions were dated as of May 1, 2014. This means you are all authorized to sign permit applications and reports for any Clean Harbors entity. If you need documentation for a specific submittal, contact Monica Murphy-Rogers in the Law Department and she can coordinate getting a Secretary's Certification for you.

Thanks, Bill

RESOLVED, that each individual with the title of President, Senior Vice President, Vice President, Director, Manager, Member or Associate of the Company shall have the authority to sign and certify, on behalf of the Company, any necessary or desirable environmental documents, including, without limitation, any permit applications and environmental reports in any way related to the operations of the Company. In addition to the foregoing, to the extent that the Company operates any facility with more than 250 people or having gross annual sales or expenditures in excess of \$25,000,000, the General Manager of such facility shall have all of the foregoing authority with respect to the operations of any facility for which such General Manager performs policy or decision making functions.

Safety Starts with Me: Live It 3-6-5

William F. Connors Senior Vice President, Compliance Clean Harbors (o) 781.792.5169 (c) 781.858.3601 connorsw@cleanharbors.com



Clean Harbors Environmental Services, Inc.

(the "Company")

Secretary's Certificate

I, Michael R. McDonald, the Company's Assistant Secretary, hereby certify that pursuant to a resolution adopted by the Directors of the Company, dated January 1, 2020, and that said resolution is in effect and has not been modified that Greg Van Stechelman, Senior Environmental Compliance Manager, is authorized to sign and certify, on behalf of the Company or any subsidiary, any necessary or desirable environmental documents, including, without limitation, any permit applications or amendments, consent orders, transportation related documents and environmental reports in any way related to the operation of the Company.

CERTIFIED, this *2* day of October 2023

Michael R. McDonald

Assistant Secretary

Attachment 16

October 31, 2023

Texas Department of Transportation Corpus Christie District 1701 S. Padre Island Drive Corpus Christie, TX 78416

Email and USPS Mail Transmittal

Re: Application for a Medical Waste Registration for Safety-Kleen Systems, Inc. in Robstown

Dear Mr. Olivarez

On behalf of Safety-Kleen Inc., the purpose of this letter is to notify you that an application for a Medical Waste Registration – Transfer Station has been sent to TCEQ for review and approval. Pursuant to 30 TAC §326.71(e)(4) Safety-Kleen Systems, Inc. is requesting coordination with TDOT to show adequate road service for the facility and to indicate that operations of this facility will not adversely impact traffic and the nearby roadways.

The facility is located at 2203 Tower Road Robstown, TX 78380 and the medical waste operation will serve as an incremental use to the existing core business operated by the company at that location. This added use is projected to add only 1 or 2 additional vehicles per day over and above the current use.

Your response can be mailed or emailed to:

Greg Van Stechelman Sr. Environmental Compliance Director Safety-Kleen Systems, Inc – A Clean Harbors Company 17121 Kenton Terrace Lakewood Ranch, FL 34202 gvanstechelman@safety-kleen.com (941) 201-8176

Thank you in advance for your prompt attention and please let me know if you have any questions.

Greg Van Stechelman Med Waste Application Attachment 17

Attachment 17

SB-130, SB-230 and SB-330

TK 54731-2-OP (Rev. 1, 04/2011)

Copyright© 2010 Thermo King Corp., Minneapolis, MN, USA Printed in USA



Unit Description

Unit Overview

The Thermo King SB-130, SB-230 and SB-330 are one piece, self-contained, diesel powered, air cooling/heating units operating under the control of a SMART REEFER 3 (SR-3) programmable microprocessor controller. Each unit mounts on the front of the trailer with the evaporator extending through an opening in the front wall.

The units feature cooling and heating using a quiet running engine from the Thermo King TK486 engine family.

The units are available in the following models:

SB-130 30: Cooling and heating on diesel engine operation.

SB-230 30: Cooling and heating on diesel engine operation.

SB-230 50: Cooling and heating on diesel engine operation and electric standby operation.

SB-330 30: High capacity cooling and heating on diesel engine operation. Designed for engine operation at a high speed of 2600 rpm.

The Electronic Throttling Valve (ETV) provides enhanced control of the refrigeration system. The ETV is optional on the SB-130 and SB-230, and standard on the SB-330. See "Electronic Throttling Valve" on page 31.



Figure 7: Front View

Engine

Model:	SB-130 and SB-230	TK486V (Tier 2)	
	SB-330	TK486VH (Tier 2)	
Number of Cylinde	rs	4	
Cylinder Arrangem	ent	In-line vertical, number 1 on flywheel end	
Firing Order		1-3-4-2	
Direction of Rotation		Counterclockwise viewed from flywheel end	
Fuel Type		No. 2 diesel fuel under normal conditions No. 1 diesel fuel is acceptable cold weather fuel	
Oil Capacity		13 quarts (12.3 liters) crankcase and oil filter Fill to full mark on dipstick	
Oil Type		API Classification CI-4 or better (ACEA Rating E3 or better for Europe)	

Engine

Oil Viscosity	14 F to 122 F (-10 C to 50 C): SAE 15W-40 (Synthetic) 5 to 104 F (-15 to 40 C): SAE 15W-40 -13 to 104 F (-25 to 40 C): SAE 10W-40 -13 to 86 F (-25 to 30 C): SAE 10W-30 -22 to 122 F (-30 to 50 C): SAE 5W-40 (Synthetic) Below -22 F (-30 C): SAE 0W-30 (Synthetic)
Engine rpm: SB-130 and SB-230 Low Speed Operation SB-130 and SB-230 High Speed Operation	1450 ± 25 rpm 2200 ± 25 rpm
SB-330 Low Speed Operation SB-330 High Speed Operation	1450 \pm 25 rpm (1720 \pm 25 rpm with High Capacity Fresh Option) 2600 \pm 25 rpm
Engine Oil Pressure	The microprocessor will display OK if the oil pressure is within the acceptable range and LOW if the oil pressure is below the acceptable range.
Low Oil Pressure Switch (Normally Closed)	17 ± 3 psi (117 ± 21 kPa)
Engine Coolant Thermostat	160 F (71 C)

Engine

Engine Coolant Type	ELC (Extended Life Coolant), which is "RED" Use a 50/50 concentration of any of the following equivalents: Chevron Dex-Cool Texaco ELC Havoline Dex-Cool® Havoline XLC for Europe Shell Dexcool® Shell Rotella Saturn/General Motors Dex-Cool® Caterpillar ELC Detroit Diesel POWERCOOL® Plus CAUTION: Do not add "GREEN" or "BLUE-GREEN" conventional coolant to cooling systems using "RED" Extended Life Coolant, except in an emergency. If conventional coolant is added to Extended Life Coolant, the coolant must be changed after 2 years instead of 5 years.
Coolant System Capacity	7.5 quarts (7.1 liters)
Radiator Cap Pressure	7 psi (48 kPa)

Engine

Drive:	Model 30	Direct to compressor; belts to fans, alternator, and water
		pump
	Model 50	Centrifugal clutch to compressor; belts to electric standby motor, fans, alternator, and water pump

Belt Tension

	Tension No. on TK Gauge P/N 204-427		
Model 30	New Belt	Field Reset	
Alternator Belt:			
SB-130 and SB-230 with 37 Amp Alternator	74	71	
SB-130 and SB-230 with 65 Amp Alternator	75	72	
SB-330 with 37 Amp Alternator	73	70	
SB-330 with 65 Amp Alternator	74	71	
Lower Fan Belt (Engine to Idler):			
SB-130 and SB-230	88	84	
SB-330	87	84	
Upper Fan Belt (Fan to Idler)	88	85	

Belt Tension

Model 50 (SB-2	30 Only)		
Alternator Belt:			
14 HP Electric I	Motor and 37 Amp Alternator	76	73
14 HP Electric N	Motor and 65 Amp Alternator	77	74
24 HP Electric Motor and 37 Amp Alternator		74	71
24 HP Electric Motor and 65 Amp Alternator		75	72
Compressor Dri	ve Belts	94	91
Fan Belt:	14 HP Electric Motor	91	88
	24 HP Electric Motor	90	86
Water Pump Belt		74	71

Refrigeration System

Compressor:	SB-130	Thermo King X426LSC5
	SB-230 and SB-330	Thermo King X430LSC5
Refrigerant Charge—Type: SB-130 and SB-230		13 lb (5.9 kg)—R404A
	SB-330	16 lb (7.3 kg)—R404A
Compressor Oil Charge		4.3 qt (4.1 liters)*
Compressor Oil Type		Polyol Ester type P/N 203-513
Heat/Defrost Method:	Engine Operation	Hot gas
	Electric Operation	Hot gas and electric heater strips
	be measured so that the	nit, oil level should be noted or the oil removed from the same amount of oil can be added before placing the

Electrical Control System

age	12.5 Vdc
ery	One, group C31, 12 volt, (950 CCA recommended for operation below -15 F [-26 C])
Fuses See "Fuses" on page 85.	
ery Charging	12 volt, 37 amp, brush type, Thermo King Alternator (65 amp alternator optional)
age Regulator Setting	13.95 to 14.35 volts @ 77 F (25 C)
	lite Alternator) must be removed for the Thermo M

Electrical Standby (Model 50 Units Only)

Electric Motor and Overload Relay

Voltage/Phase/Frequency	Horsepower	Kilowatts	rpm	Full Load (amps)	Overload Relay Setting (amps)
230/3/60	14.0	10.4	1755	37.8	38
460/3/60	14.0	10.4	1755	18.9	20
460/3/60	24.0	17.9	3500	29	31

Electric Heater Strips

Number	3
Watts	1000 watts (each)
Resistance	48 ohms (each)

Standby Power Cord Requirements

Supply Circuit Breaker: 14 HP Motor 230/3/60		70 amps
	14 HP Motor 460/3/60	40 amps
	24 HP Motor 460/3/60	60 amps
Extension Cord Size:	14 HP Motor 230/3/60	8 AWG Power Cable, 25 to 50-foot length
	14 HP Motor 230/3/60	6 AWG Power Cable, 75-foot length
	14 HP Motor 460/3/60	10 AWG Power Cable, up to 75-foot length
	24 HP Motor 460/3/60	8 AWG, 4-Conductor, 2000V, Type W Power Cable, up to
		75-foot length

Electric Fuel Heater (Optional)

Electric Fuel Heater: Resistance	0.9 to 1.1 ohms
Current Draw at 12.5 Vdc	11.4 to 13.9 amps
Internal Thermostat Minimum Closing Temp.	30 F (-1 C)
Internal Thermostat Maximum Opening Temp.	75 F (24 C)
W Fuse	3 amps
Diesel Power Fuse	3 amps
2A/2FH Circuit Breaker	20 amps, manual reset

10 Gallon Reusable Sharps Container






Specifications	IN/LB	CM/KG
Width (W)	20.0	50.8
Depth (D)	12.5	31.8
Height (H)	16.0	40.6
Width of Sub-Opening (W2)	8.0	20.3
Depth of Sub-Opening (D2)	6.0	15.2
Maximum Capacity	10 Gal	
Fill Capacity	7.5 Gal	
Nesting Increment	4.50	11.43
Stacking Increment	15.65	39.75
Part Weight	7.2	3.3
Branding WIDT	H(IN) HEI	GHT (IN)

10.0	
20.3	
15.2	
11.43	
39.75	

Н



W

HDPE and clarified PP material Attached lidded container

• Puncture and leak resistant

Features & Benefits

- Nestable and stackable for maximizing transport and storage efficiencies
- Semi-transparent locking sub-lid for monitoring waste safely to fill line
- Multiple lid openings for restricted or unrestricted access during use
- Smooth interiors for ease of cleaning
- Reinforced handles for safe carrying
- Accessories Available: Foot pedal operated, wheeled dolly, and tortuous path insert
- Unique bar code for management and cycle tracking
- Securely locks for transporting in racks
- For added security, tie location is integrated into the main lid and body
- Includes an in-mold label that contains all FDA recommended warnings and instructions
- FDA 510(k) cleared for 300 cycles
- FDA 510(k) cleared as a Class II Medical Device
- OSHA compliant
- Meets or exceeds US and international standards for Sharps containers
- Decanting and wash systems available



Designed by healthcare for healthcare.

Rehrig Healthcare Systems 3002 Belingham Drive Atlanta, GA 30345 844-473-4744

www.rehrighealthcare.com

Branding	WIDTH (IN)	HEIGHT (IN)
Front Brand (B1)	Required S	harps Label
Side Brand (B2)	3.34	3.34
Lid Brand (B3)	3.34	3.34

D

B2


17 Gallon Reusable Sharps Container





Specifications	IN/LB	CM/KG
Width (W)	20	50.8
Depth (D)	12.5	31.8
Height (H)	25.9	65.8
Width of Sub-Opening (W2)	8.0	20.3
Depth of Sub-Opening (D2)	6.0	15.2
Maximum Capacity	17 Gal	
Fill Capacity	12.75 Gal	
Nesting Increment	7.5	19.1
Stacking Increment	25.4	64.5
Weight	9.55	4.33
Branding WIDTH (IN) HEIGHT (IN)		

Branding		HEIGHI (IN)
Front Brand (B1)	Required S	harps Label
Side Brand (B2)	3.34	3.34
Lid Brand (B3)	3.34	3.34



Features & Benefits

- Puncture and leak resistant
- HDPE and clarified PP material
- Attached lidded container
- Nestable and stackable for maximizing transport and storage efficiencies
- Semi-transparent locking sub-lid for monitoring waste safely to fill line
- Multiple lid openings for restricted or unrestricted access during use
- Smooth interiors for ease of cleaning
- Reinforced handles for safe carrying
- Accessories Available: Foot pedal operated, wheeled dolly, and tortuous path insert
- Unique bar code for management and cycle tracking
- Securely locks for transporting in racks
- For added security, tie location is integrated into the main lid and body
- Includes an in-mold label that contains all FDA recommended warnings and instructions
- FDA 510(k) cleared for 300 cycles
- FDA 510(k) cleared as a Class II Medical Device
- OSHA compliant
- Meets or exceeds US and international standards for Sharps containers
- Decanting and wash systems available



Designed by healthcare for healthcare.

Rehrig Healthcare Systems 3002 Belingham Drive Atlanta, GA 30345 844-473-4744

www.rehrighealthcare.com

17GallonReusableSharpsContainer-REV B © 2017 Rehrig Healthcare Systems Revised 3/1/2024 D

B2

31 Gallon Medical Waste Container






Specifications	IN/LB	CM/KG
Width (W)	20	50.8
Depth (D)	25	63.5
Height (H)	21.3	54.1
Capacity	31 Gal	
Stack Quantity & Height	5 (105.3")	
53' Truckload Quantity	625	


Branding	WIDTH (IN)	HEIGHT (IN)	
Front Brand (B1)	8	8	
Side Brand (B2)	4	4	
			1

31GallonMedicalWasteContainer- REV A © 2017 Rehrig Healthcare Systems

Revised 3/1/2024



Β1



Page 92 of 101

B2

• DOT Approved – PGII Rated Container • HDPE material – all plastic construction • Reinforced handles won't flex under rated loads

- During use, bag holders secure the bags in open position when lids are closed
- Smooth interior for easy cleaning

Features & Benefits

- Textured exterior areas for easy removal of adhesive labels
- Durable base with drag rails
- Hot Stamping available for branding
- Optional multi-color transfer, bar code, and RFID tracking labels available
- Available in a range of standard colors to represent multiple waste streams
- Nestable and Stackable for maximizing transport and storage efficiencies
- Securely stacks for transport with the 31, 43, and 95 gallon Medical Waste Containers
- Split lid securely locks for storage and transport
- Includes tie area for added security during transport
- Optional lab-lid , dolly and foot pedal dolly available
- Recommended Bag Size: 45" x 49"
- Authorized Gross Mass: 22.6 kg



3002 Belingham Drive Atlanta, GA 30345

www.rehrighealthcare.com

43 Gallon Medical Waste Container







Specifications	IN/LB	CM/KG
Width (W)	20	50.8
Depth (D)	25	63.5
Height (H)	29.5	74.9
Capacity	43 Gal	
Stack Quantity & Height	3 (87.8")	
53' Truckload Quantity	375	

Branding	WIDTH (IN)	HEIGHT (IN)
Front Brand (B1)	8	8
Side Brand (B2)	4	4

43GallonMedicalWasteContainer-REVA © 2017 Rehrig Healthcare Systems Revised 3/1/2024





Features & Benefits

- DOT Approved PGII Rated Container
- HDPE material all plastic construction
- Reinforced handles won't flex under rated loads
- During use, bag holders secure the bags in open position when lids are closed
- Smooth interior for easy cleaning
- Textured exterior areas for easy removal of adhesive labels
- Durable base with drag rails
- Hot Stamping available for branding
- Optional multi-color transfer, bar code, and RFID tracking labels available
- Available in a range of standard colors to represent multiple waste streams
- Nestable and Stackable for maximizing transport and storage efficiencies
- Securely stacks for transport with the 31, 43, and 95 gallon Medical Waste Containers
- Split lid securely locks for storage and transport
- Includes tie area for added security during transport
- Optional lab-lid , dolly and foot pedal dolly available
- Recommended Bag Size: 45" x 49"
- Authorized Gross Mass: 30.7 kg



Atlanta, GA 30345 www.rehrighealthcare.com


Model SS Reusable Sharps Container






Specifications	IN/LB	CM/KG
Width (W)	15.1	38.4
Depth (D)	7.5	19.1
Height (H)	13.8	34.9
Maximum Capacity	3.2 Gal	
Fill Capacity	2.4 Gal	
Weight	3.4	1.6

Branding	WIDTH (IN)	HEIGHT (IN)
Lid Brand (B1)	3.32	1
Front Brand (B2)	Required Sharps Label	
Side Brand (B3)	2.75	2.5



۱*۸*/



Features & Benefits • FDA 510(k) cleared for 600 cycles

- Puncture resistant and leak proof
- Polycarbonate construction with semi-transparent body for viewing fill levels
- Stackable and cross stackable for storage when full
- Minimal moving parts for ease of use
- Attached lidded container
- Locking lid with integrated handle for ease of carrying
- Universal Horizontal and Vertical Drop Inserts
- Includes an in-mold label that contains all FDA recommended warnings and instructions
- Secure key-lock wall mount or counter mount available
- Securely locks for safe transport in rack
- Unique bar code for management and cycle tracking
- OSHA Compliant
- Meets or exceeds US and international standards for Sharps containers
- Decanting and wash systems available



Rehrig Healthcare Systems 3002 Belingham Drive Atlanta, GA 30345 844-473-4744

www.rehrighealthcare.com

Model TS Reusable Sharps Container








Specifications	IN/LB	CM/KG
Width (W)	15.1	38.4
Depth (D)	7.5	19.1
Height (H)	20.0	50.8
Maximum Capacity	4.9 Gal	
Fill Capacity	3.675 Gal	
Weight	4.57	2.07

Branding Areas	WIDTH (IN)	HEIGHT (IN)
Lid Brand (B1)	3.32	1
Front Brand (B2)	Required Sharps Label	
Side Brand (B3)	2.75	2.5

ModeITS-REV A Revised 3/1/2024 © 2017 Rehrig Healthcare Systems







Features & Benefits

- FDA 510(k) cleared for 600 cycles
- Puncture resistant and leak proof
- Polycarbonate construction with semi-transparent body for viewing fill levels
- Stackable and cross stackable for storage when full
- Minimal moving parts for ease of use
- Attached lidded container
- Locking lid with integrated handle for ease of carrying
- Universal Horizontal and Vertical Drop Inserts
- Includes an in-mold label that contains all FDA recommended warnings and instructions
- Secure key-lock wall mount or counter mount available
- Securely locks for safe transport in rack
- Unique bar code for management and cycle tracking
- OSHA Compliant
- Meets or exceeds US and international standards for Sharps containers
- Decanting and wash systems available



Rehrig Healthcare Systems 3002 Belingham Drive Atlanta, GA 30345 844-473-4744

www.rehrighealthcare.com



- SUITABLE FOR MEDICAL BIO HAZARDOUS & OTHER POTENTIALLY INFECTIOUS TRASH: Needles & other sharps; used bandages & gauze; contaminated gloves; items holding or contaminated with blood, & bodily fluids.
- IDEAL FOR Hospitals, Emergency Care Clinics, Urgent Care, Dental Practices, Veterinarians, Funeral Homes, Care Facilities, Physician Practices, Schools, Laboratories, Doctor & Nurse Offices, and other Healthcare or non-Health Care Centers.
- MEETS REQUIREMENTS FOR MEDICAL WASTE AND GARBAGE COLLECTION: The leak-free liners and boxes are properly labeled with large Bio hazard color-coded warning labels, cautions and identifiers for safe removal of waste.

Specifications for this item

Brand Name	MedPro Waste Disposal
Item Weight	9.50 pounds
Material	Corrugated Boxes with Liner.
Number of	
Items	6
Part Number	43217-169544
UNSPSC Code	41000000

Attachment 18



⁶ Texas Commission on Environmental Quality

Public Involvement Plan Form for Permit and Registration Applications

The Public Involvement Plan is intended to provide applicants and the agency with information about how public outreach will be accomplished for certain types of applications in certain geographical areas of the state. It is intended to apply to new activities; major changes at existing plants, facilities, and processes; and to activities which are likely to have significant interest from the public. This preliminary screening is designed to identify applications that will benefit from an initial assessment of the need for enhanced public outreach.

All applicable sections of this form should be completed and submitted with the permit or registration application. For instructions on how to complete this form, see TCEQ-20960-inst.

Section 1. Preliminary Screening

New Permit or Registration Application New Activity – modification, registration, amendment, facility, etc. (see instructions)

If neither of the above boxes are checked, completion of the form is not required and does not need to be submitted.

Section 2. Secondary Screening

Requires public notice,

Considered to have significant public interest, and

Located within any of the following geographical locations:

- Austin
- Dallas
- Fort Worth
- Houston
- San Antonio
- West Texas
- Texas Panhandle
- Along the Texas/Mexico Border
- Other geographical locations should be decided on a case-by-case basis

If all the above boxes are not checked, a Public Involvement Plan is not necessary. Stop after Section 2 and submit the form.

Public Involvement Plan not applicable to this application. Provide **brief** explanation.

Section 3.	Section 3. Application Information				
Type of Application (check all that apply):					
Air	Initial	Federal	Amendment	Standard Permit	Title V
Waste	-	l Solid Wast ve Material		and Hazardous Waste Underground I	e Scrap Tire injection Control
Water Qua	lity				
Texas P	ollutant D	ischarge Elii	mination System	(TPDES)	
Tex	Texas Land Application Permit (TLAP)				
Stat	te Only Co	ncentrated A	Animal Feeding O	peration (CAFO)	
Wat	Water Treatment Plant Residuals Disposal Permit				
Class B Biosolids Land Application Permit					
Domestic Septage Land Application Registration					
Water Righ	Water Rights New Permit				
New Appropriation of Water					
New or existing reservoir					
Amendmen	nt to an Exi	isting Water	Right		
Add a New Appropriation of Water					
Add a New or Existing Reservoir					
Major Amendment that could affect other water rights or the environment					

Section 4. Plain Language Summary

Provide a brief description of planned activities.

Section 5. Community and Demographic Information
Community information can be found using EPA's EJ Screen, U.S. Census Bureau information, or generally available demographic tools.
Information gathered in this section can assist with the determination of whether alternative language notice is necessary. Please provide the following information.
anguage notice is necessary i rease provide the ronoving mornation
(City)
(County)
(Census Tract)
Please indicate which of these three is the level used for gathering the following information.
City County Census Tract
(a) Percent of people over 25 years of age who at least graduated from high school
(b) Per capita income for population near the specified location
(c) Percent of minority population and percent of population by race within the specified location
(d) Percent of Linguistically Isolated Households by language within the specified location
(a) referre of Emgalotically isolated flouseriolas by language within the opecated location
(e) Languages commonly spoken in area by percentage
(f) Community and/or Stakeholder Groups
(g) Historic public interest or involvement

Section 6. Planned Public Outreach Activities			
	n subject to the public participation requirements of Title 30 Texas e (30 TAC) Chapter 39?		
Yes N	Io		
(b) If yes, do you int	tend at this time to provide public outreach other than what is required by rule?		
Yes N	lo		
If Yes, please descri	ibe.		
If you answered "yes" that this application is subject to 30 TAC Chapter 39, answering the remaining questions in Section 6 is not required. (c) Will you provide notice of this application in alternative languages?			
Yes N	Io		
Please refer to Section 5. If more than 5% of the population potentially affected by your application is Limited English Proficient, then you are required to provide notice in the alternative language.			
If yes, how will you provide notice in alternative languages?			
Publish in alternative language newspaper			
Posted on Commissioner's Integrated Database Website			
Mailed by TCEQ's Office of the Chief Clerk			
Other (speci	ify)		
(d) Is there an oppo	(d) Is there an opportunity for some type of public meeting, including after notice?		
Yes N	No		
(e) If a public meeting is held, will a translator be provided if requested?			
Yes N	No		
(f) Hard copies of the application will be available at the following (check all that apply):			
TCEQ Regional Office TCEQ Central Office			
Public Place (specify)			

Section 7. Voluntary Submittal

For applicants voluntarily providing this Public Involvement Plan, who are not subject to formal public participation requirements.

Will you provide notice of this application, including notice in alternative languages?

Yes No

What types of notice will be provided?

Publish in alternative language newspaper

Posted on Commissioner's Integrated Database Website

Mailed by TCEQ's Office of the Chief Clerk

Other (specify)