



Safety Data Sheet

Material Name: SAFETY-KLEEN PROFESSIONAL HEAVY DUTY CLEANER DEGREASER CONCENTRATE

SDS ID: 82991

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

SAFETY-KLEEN PROFESSIONAL HEAVY DUTY CLEANER DEGREASER CONCENTRATE

Product Code

819, 820, 821, 822

Synonyms

Not available

Product Use

Cleaner and Degreaser. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

Restrictions on Use

None known.

MANUFACTURER/SUPPLIER

Safety-Kleen Systems, Inc.
2600 North Central Expressway
Suite 200
Richardson, TX 75080

IMPORTER/DISTRIBUTOR

Safety-Kleen Canada, Inc.
25 Regan Road
Brampton, Ontario, Canada L1A 1B2

www.safety-kleen.com

Phone: 1-800-669-5740

Emergency Phone #: 1-800-468-1760

Issue Date

January 9, 2017

Supersedes Issue Date

January 15, 2015

Original Issue Date

September 1, 2005

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with Schedule 1 of Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200

Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Eye Irritation - Category 2

Skin Sensitization – Category 1

Specific Target Organ Toxicity – Single Exposure – Category 3 (respiratory tract)

GHS Label Elements

Symbol(s)



Signal Word

Warning

Safety Data Sheet

**Material Name: SAFETY-KLEEN PROFESSIONAL HEAVY DUTY CLEANER
DEGREASER CONCENTRATE**

SDS ID: 82991

Hazard Statement(s)

Causes skin and serious eye irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.

Precautionary Statement(s)

Prevention

Wash thoroughly after handling. Wear protective gloves and eye/face protection. Avoid breathing vapor or mist. Use only outdoors or in a well-ventilated area.

Response

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Statement(s) of Unknown Aquatic Toxicity

88.5% of the mixture consists of ingredient(s) of unknown acute aquatic toxicity.
85.5% of the mixture consists of ingredient(s) of unknown chronic aquatic toxicity.

Other hazards

No additional information is available.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	75-100
68439-57-6	Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	1-4
34590-94-8	Dipropylene glycol monomethyl ether	1-5
1569-01-3	2-Propanol, 1-propoxy-	1-3
34398-01-1	Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-	1-3
6834-92-0	Silicic acid, disodium salt	1-2

PRODUCT DILUTION FOR USE RANGES are as follows:

LIGHT: 1 to 50 with water

MEDIUM: 1 to 20 with water

HEAVY: 1 to 4 with water

Actual WT% of product constituents will vary according to dilution.

Safety Data Sheet

Material Name: SAFETY-KLEEN PROFESSIONAL HEAVY DUTY CLEANER
DEGREASER CONCENTRATE

SDS ID: 82991

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention.

Most Important Symptoms/Effects

Acute

Causes eye and skin burns. Respiratory tract irritation. Allergic skin reaction.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident. Call 1-800-468-1760 for additional information.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

Product may burn, but does not ignite readily.

Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Burning may produce carbon monoxide and unidentified organic compounds.

Fire Fighting Measures

Keep storage containers cool with water spray.

Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. A vapor suppressing foam may be used to reduce vapors. Contain spill away from surface water and sewers. Sorb with compatible sorbent material and shovel with a clean tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal.

Safety Data Sheet

**Material Name: SAFETY-KLEEN PROFESSIONAL HEAVY DUTY CLEANER
DEGREASER CONCENTRATE**

SDS ID: 82991

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from heat, sparks, or flame. Where flammable mixtures may be present, equipment safe for such locations should be used. Use clean tools. When transferring product, metal containers, including trucks and tank cars, should be grounded and bonded. Avoid breathing vapor or mist. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin, clothing, shoes. Do not eat, drink, or smoke when using this product. Wear suitable protective gloves and eye/face protection. Wash thoroughly after handling.

MIX RATIO	g/L VOC	VOC CONCENTRATION (WT %)
LIGHT: 1 part concentrate: 50 parts water	1.6	0.15
MEDIUM: 1 part concentrate: 20 parts water	3.8	0.37
HEAVY (FOR CALIFORNIA): 1part concentrate: 15 parts water	5.0	0.48
HEAVY: 1 part concentrate: 4 parts water (NOT FOR USE IN CALIFORNIA)	15.8	1.54

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed when not in use and during transport. Store containers in a cool, dry, well-ventilated place. Keep containers away from heat, flame, sparks, static electricity, or other sources of ignition. Empty product containers may retain product residue and can be dangerous. Store between 40-90°F (4°C-32°C). Prevent product from freezing. Store locked up.

Incompatible Materials

Avoid strong acids, oxidizing materials, combustible materials.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Dipropylene glycol monomethyl ether	34590-94-8
Alberta	100 ppm TWA ; 606 mg/m3 TWA; 150 ppm STEL ; 909 mg/m3 STEL; Substance may be readily absorbed through intact skin
British Columbia, Northwest Territories; Nunavut	100 ppm TWA; Skin notation;150 ppm STEL
Manitoba	100 ppm TWA; Skin - potential for cutaneous absorption Skin - potential significant contribution to overall exposure by the cutaneous route
New Brunswick	100 ppm TWA ; 606 mg/m3 TWA; 150 ppm STEL ; 909 mg/m3 STEL Skin - potential for cutaneous absorption
Nova Scotia	100 ppm TWA; 150 ppm STEL; Skin - potential significant contribution to overall exposure by the cutaneous route
Ontario	100 ppm TWA; 150 ppm STEL; Danger of cutaneous absorption

Safety Data Sheet

**Material Name: SAFETY-KLEEN PROFESSIONAL HEAVY DUTY CLEANER
DEGREASER CONCENTRATE**

SDS ID: 82991

Prince Edward Island	100 ppm TWA; 150 ppm STEL
Quebec	100 ppm TWAEV ; 606 mg/m3 TWAEV; 150 ppm STEV ; 909 mg/m3 STEV; Skin designation
Saskatchewan	100 ppm TWA; 150 ppm STEL; Potentially harmful after absorption through skin or mucous membranes
ACGIH	100 ppm TWA; 150 ppm STEL; Skin – potential significant contribution to overall exposure by the cutaneous route
OSHA Final	100 ppm TWA; 600 mg/m3 TWA; prevent or reduce skin absorption
OSHA Vacated	100 ppm TWA; 600 mg/m3 TWA; 150 ppm STEL; 900 mg/m3 STEL; Prevent or reduce skin absorption
NIOSH	100 ppm TWA; 600 mg/m3 TWA; 150 ppm STEL; 900 mg/m3 STEL; Potential for dermal absorption

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

Respiratory Protection

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

Glove Recommendations

Wear chemical resistant protective gloves; use of natural rubber or equivalent gloves is not recommended. Where spills are likely, wear appropriate chemical-resistant apron, coveralls, long sleeve shirts, or other protective clothing.

Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, gloves, and lab coat or apron.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Yellow liquid	Physical State	Liquid
Odor	Sassafras	Color	Yellow

Safety Data Sheet

Material Name: SAFETY-KLEEN PROFESSIONAL HEAVY DUTY CLEANER
DEGREASER CONCENTRATE

SDS ID: 82991

Odor Threshold	Not available	pH	12.7 in undiluted form; 12.3 at 1:4 dilution 11.5 at 1:20 dilution 11.1 at 1:50 dilution
Melting Point	Not available	Boiling Point	>93 °C (200 °F)
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	1 (Butyl acetate = 1)	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	>93.3 °C (200 °F)
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.029 (Water = 1)
Water Solubility	(Complete)	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	8.52 - 8.62 lb/US gal (1020 to 1034 g/L)	Molecular Weight	Not available
Volatile Organic Compounds (As Regulated)	7.7% or less, depending on use dilution. As per U.S EPA 40 CFR 51.100(s) See Section 7, Handling and Storage, for VOC of diluted product. Consult your state or local air district regulations for location specific information.		

Other Information

No additional information is available.

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions

Polymerization is not known to occur under normal temperature and pressures. Not reactive with water.

Conditions to Avoid

Avoid excessive heat and ignition sources.

Incompatible Materials

Avoid strong acids, oxidizing materials, combustible materials.

Hazardous decomposition products

Decomposition and combustion materials may be toxic. Burning may produce carbon monoxide and unidentified organic compounds.

Safety Data Sheet

Material Name: SAFETY-KLEEN PROFESSIONAL HEAVY DUTY CLEANER
DEGREASER CONCENTRATE

SDS ID: 82991

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

Causes severe damage to the respiratory tract. May cause headache, drowsiness, dizziness, loss of coordination, liver effects, difficulty breathing, cough, chest pain, lung congestion.

Skin Contact

Causes skin burns.

Eye Contact

Causes eye burns.

Ingestion

May cause loss of coordination, headache, drowsiness, dizziness, nausea, vomiting.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Water (7732-18-5)

Oral LD50 Rat >90 mL/kg

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6)

Oral LD50 Rat 2220 mg/kg; Dermal LD50 Rabbit >740 mg/kg

Dipropylene glycol monomethyl ether (34590-94-8)

Oral LD50 Rat 5400 µL/kg; Dermal LD50 Rabbit 9500 mg/kg

2-Propanol, 1-propoxy- (1569-01-3)

Oral LD50 Rat 2490 mg/kg; Dermal LD50 Rabbit 3550 mg/kg

Silicic acid, disodium salt (6834-92-0)

Oral LD50 Rat 1153 mg/kg

Product Toxicity Data

Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Inhalation - Vapor	> 20 mg/L
Oral	> 2000 mg/kg

Immediate Effects

Causes burns.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

Causes severe skin burns and eye damage. Causes severe damage to the respiratory tract.

Respiratory Sensitization

Based on best current information, there is no known human sensitization associated with this product.

Dermal Sensitization

Based on best current information, there is no known human sensitization associated with this product.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity

Based on best current information, there is no known mutagenicity associated with this product.

Tumorigenic Data

Based on best current information, there is no known teratogenicity associated with this product.

Safety Data Sheet

Material Name: SAFETY-KLEEN PROFESSIONAL HEAVY DUTY CLEANER
DEGREASER CONCENTRATE

SDS ID: 82991

Reproductive Toxicity

Based on best current information, there is no known reproductive toxicity associated with this product. Also see SECTION 15: CALIFORNIA.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

No information available for the product.

Medical Conditions Aggravated by Exposure

Individuals with pre-existing respiratory tract (nose, throat, and lungs), central nervous system, kidney, eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

Additional Data

No additional information is available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6
Fish:	LC50 96 h Brachydanio rerio 1 - 10 mg/L [static]; LC50 96 h Brachydanio rerio 12.2 mg/L [semi-static]
Dipropylene glycol monomethyl ether	34590-94-8
Fish:	LC50 96 h Pimephales promelas >10000 mg/L [static]
Invertebrate:	LC50 48 h Daphnia magna 1919 mg/L IUCLID
Silicic acid, disodium salt	6834-92-0
Fish:	LC50 96 h Brachydanio rerio 210 mg/L [semi-static]; LC50 96 h Brachydanio rerio 210 mg/L

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Other Toxicity

No additional information is available.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

D002. Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact Safety-Kleen regarding proper recycling or disposal.

Safety Data Sheet

Material Name: SAFETY-KLEEN PROFESSIONAL HEAVY DUTY CLEANER
DEGREASER CONCENTRATE

SDS ID: 82991

Section 14 - TRANSPORT INFORMATION

US DOT Information:

Shipping Name: Not regulated as a hazardous material.

TDG Information:

Shipping Name: Not regulated as a dangerous good.

Section 15 - REGULATORY INFORMATION

Canada Regulations

CEPA - Priority Substances List

None of this product's components are on the list.

Ozone Depleting Substances

None of this product's components are on the list.

Council of Ministers of the Environment - Soil Quality Guidelines

None of this product's components are on the list.

Council of Ministers of the Environment - Water Quality Guidelines

None of this product's components are on the list.

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

Component Analysis - Inventory

Water (7732-18-5), Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6), Dipropylene glycol monomethyl ether (34590-94-8), 2-Propanol, 1-propoxy- (1569-01-3), Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy- (34398-01-1), Silicic acid, disodium salt (6834-92-0)

US	CA
Yes	DSL

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	MA	MN	NJ	PA	CA
Dipropylene glycol monomethyl ether	34590-94-8	Yes	Yes	Yes	Yes	Yes

No component(s) are listed under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65).

Section 16 - OTHER INFORMATION

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

Revision to comply with WHMIS 2015

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP -

Safety Data Sheet

**Material Name: SAFETY-KLEEN PROFESSIONAL HEAVY DUTY CLEANER
DEGREASER CONCENTRATE**

SDS ID: 82991

Classification, Labelling, and Packaging; CPR - Controlled Products Regulations; DOT - Department of Transportation; DSL - Domestic Substances List; EPA - Environmental Protection Agency; F - Fahrenheit; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; RCRA - Resource Conservation and Recovery Act; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Safety-Kleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.